

Ergonomic Material Handling Solutions



Maximum Control with Minimum Effort



Did you know we routinely design our hoists for greater ease of use and control?

A company's most important asset is their people. Harrington's ergonomic hoists provide the features and benefits to fill workplace needs. Ideal for repetitive workstation and assembly line areas, these hoists are certain to assist in increasing productivity and building your employee morale.

Our expanding line of ergonomically designed hoists will allow you to make smart material

handling decisions. In addition to one-handed control of the hoist, they give the operator a free hand to position or guide the load and offer a wide variety of choices on power, capacity and speed. All of these benefits work together to make the job at hand easier to accomplish.

We invite you to ask for further details on these user-friendly hoist options. Please contact your local sales representative or Harrington's Customer Service staff.

Customer Service: Manheim, PA / 800-233-3010 or Corona, CA / 800-317-7111
customerservice@harringtonhoists.com or www.harringtonhoists.com



AH Mini-Cat Manipulator Control Air Powered Chain Hoists



Unique air powered hoists for ergonomic workplace applications

- Convenient manipulator control
- One-handed operation
- Adjusts for right- or left-handed operators
- Manipulator position on load chain adjusts to worker habits
- Fine feathering for exact load positioning
- Lightweight and easily moved
- Low noise levels
- 250 and 500 lb. capacities
- 6.5' or 13' lifts

Applications include:

- Repetitive assembly lines
- Workstations or work cells
- High speed lifting

HARRINGTON
HOISTS AND CRANES

See separate sell sheet No. SS-AHM for details.

ED Cylinder Control Electric Chain Hoists



Compact single-phase hoists ergonomically designed for maximum control

- One-of-a-kind cylinder control
- One-handed operation through in-line handgrip
- Precise load positioning
- Easily adjustable high and low speeds
- Removable bottom hook for retrofits
- Lightweight and low headroom
- Easily transported and installed
- 120-1-60
- 125 through 525 lb. capacities
- 6' standard lift – 9' reach

Applications include:

- Workstations or work cells
- Assembly lines
- Pick-and-place operations

HARRINGTON
HOISTS AND CRANES

See separate sell sheet No. SS-ED for details.

NER/ER Cylinder Control Electric Chain Hoists



Expanding ergonomics to heavy-duty, three-phase hoists

- User-friendly cylinder control
- One-handed operation through in-line handgrip
- Easy load positioning
- Single and dual lifting speeds
- Removable bottom hook for retrofits
- Lightweight and low headroom
- Smooth quiet operation
- 208-230/460-3-60 reconnectable power
- 1/8 and 1/4 Ton capacities
- 6' standard lift – 9' reach

Applications include:

- Severe working environments
- High production assembly lines
- Demanding workstations

HARRINGTON
HOISTS AND CRANES

See separate sell sheet No. SS-(N)ERCC for details.

CONTACT YOUR NEARBY
HARRINGTON DISTRIBUTOR



Warranty

All products sold by Harrington Hoists, Inc. are warranted to be free from defects in material and workmanship from date of shipment by Harrington for the following periods:

Manual Hoists & Trolleys—2 years

Electric Hoists, Air Hoists & Trolleys, Crane Components—1 year

Spare / Replacement Parts—1 year

The product must be used in accordance with manufacturer's recommendations and must not have been subject to abuse, lack of maintenance, misuse, negligence, or unauthorized repairs or alterations.

Should any defect in material or workmanship occur during the above time period in any product, as determined by Harrington Hoist's inspection of the product, Harrington Hoists, Inc. agrees, at its discretion, either to replace (not including installation) or repair the part or product free of charge and deliver said item F.O.B. Harrington Hoists, Inc. place of business to customer.

Customer must obtain a Return Goods Authorization as directed by Harrington or Harrington's published repair center prior to shipping product for warranty evaluation. An explanation of the complaint must accompany the product. Product must be returned freight prepaid. Upon repair, the product will be covered for the remainder of the original warranty period. If it is determined there is no defect, or that the defect resulted from causes not within the scope of Harrington's warranty, the customer will be responsible for the costs of returning the product.

Harrington Hoists, Inc. disclaims any and all other warranties of any kind expressed or implied as to the product's merchantability or fitness for a particular application. Harrington will not be liable for death, injury to persons or property, or for incidental, contingent, special or consequential damages, loss or expense arising in connection with the use or inability whatever, regardless of whether damage, loss, or expense results from any act or failure to act by Harrington, whether negligent or willful, or from any other reason.



www.harringtonhoists.com

Harrington Hoists, Inc.,
401 West End Ave., Manheim, PA 17545
717-665-2000 / 800-233-3010
Fax: 717-665-2861

Harrington Hoists, Inc.—Western Division,
2341 Pomona Rincon Rd., No. 103, Corona, CA 92880-6973
951-279-7100 / 800-317-7111
Fax: 951-279-7500

