Woman Owned
Small Business
HubZone Certified
TAYLOR
MATERIAL HANDLING & CONVEYOR
Phone: 419-867-3560
www.taylormhc.com
jesco
Since 1932
WIPCO
From the simplest to the complex, Jesco does it best!
Jesco Industries, Inc. 950 Anderson Rd. PO Box 388 Litchfield, MI 49252-0388
OA062

From the simplest to the complex, Jesco does it best!

If you don't find a unit to meet your needs from our large selection of standard models, just give us a call and we will design and build a unit to meet your specific requirements. Pictured below are just a few of the special hoppers we've manufactured over time:

SPECIALS

Self dumping hopper mounted to standard skid. Designed for use with automated storage and retrieval systems.

Self dumping hopper with polyurethane casters and special bail coupler tow hitch.

Special self dumping hopper with heavy duty structural base and hood. For use in glass recycling.

12' wide special low profile self dumping hopper used to handle long strips in shearing operation.

Tapered front self dumping hopper with special low clearance outrigger base and heavy duty 3-way entry fork tubes.

Towable rollover container with drop gate. Used in waste treatment plant.

Special low profile chip & waste truck. Designed to fit under turning machine or press.

Extra heavy duty container fabricated from 3/8" plate. Designed for transport with overhead crane and to be emptied with rollover attachment on forklift. Used by bearing manufacturer.

TAYLOR
MATERIAL HANDLING & CONVEYOR
Phone: 419-867-3560
www.taylormhc.com

Phone: 517-542-2903

Fax: 517-542-2501

jescoHUSKYDUMPER®

Over 40 models to choose from!

All-welded self dumping hoppers handle bulk materials and scrap easily. Can be moved with a forklift or rolled on casters. ***Must use forklift of proper capacity rating to empty hopper.*** The narrow models are designed to fit into tight spaces without losing load capacity. **Big space saver** when shipping by truck, they can be loaded two wide and stacked. Handle is one piece. Jesco dump hoppers are engineered to dump when the locking mechanism is tripped, and to return to the upright locked position when empty.

Safety retaining chain and remote trip rope are standard on all units. Painted Vista Green. **Packaging is optional (at extra charge).**

Warning: Always observe all safety rules of your company, OSHA, ASME, ITA and the manufacturer of the forklift. Dumpers are to be used by properly trained personnel only.

If your existing Jesco hoppers are missing their safety labels, call 1-800-609-8289 and they will be replaced at NO CHARGE.

DUMPS ITSELF

RIGHTS ITSELF

LOCKS ITSELF

- **Big Labor Savers**
- **All-Welded Construction**
- **Strong and Durable**
- **Heavy Duty Rocker Stops**

STANDARD FEATURES:

- Safety retaining chain
- Remote trip rope assembly
- Safety latch
- Green color

OPTIONAL:

- Casters for units up to 2 1/2 cu. yards
- Lids 1 to 2 1/2 cu. yards
- Paint colors:
- Red, OSHA Blue, Black, Light Gray,
- Dark Gray, Orange, Yellow.
- 3-Way entry
- Bolt on casters
- Left hand release

Safety retaining chain and trip rope store conveniently on the back of the unit when not in use.

E-mail: Jesco@JescoOnline.com

TAYLOR
MATERIAL HANDLING & CONVEYOR
Phone: 419-867-3560
www.taylormhc.com

Website: www.JescoOnline.com

jescoHUSKYDUMPER® HEAVY DUTY FORMED BASE

12 Gauge Body 8 Gauge Base Stackable 3 High Empty

STOCKED ITEM

1/3 cu. yd. shown

Part No	Capacity	Dimensions	Fork Openings	Weight
211701	1/4 cu. yd / 2000 lbs	49"L x 30 3/4"W x 26 1/2"H	2 1/2" x 8 1/2" x 20" OC	305 lbs
211705	1/3 cu. yd / 2000 lbs	48 1/2"L x 30 3/4"W x 31 1/2"H	2 1/2" x 8 1/2" x 20" OC	315 lbs
211711	1/2 cu. yd / 2000 lbs	48 1/2"L x 41 1/2" x "W x 31 1/2"H	2 1/2" x 11" x 30" OC	365 lbs
211731	1 cu. yd / 2000 lbs	62"L x 41 1/2"W x 37"H	2 1/2" x 11" x 30" OC	440 lbs
211741	1 1/2 cu. yd / 2000 lbs	62"L x 59 1/2"W x 37"H	2 1/2" x 14" x 48" OC	540 lbs
211751	2 cu. yd / 2000 lbs	64"L x 59 1/2"W x 46"H	2 1/2" x 14" x 48" OC	600 lbs
211761	2 1/2 cu. yd / 2000 lbs	64"L x 59 1/2"W x 51"H	2 1/2" x 14" x 48" OC	620 lbs
*211771	3 cu. yd / 2000 lbs	71 1/2"L x 65 1/2"W x 59 1/2"H	2 1/2" x 9 1/2" x 39" OC	810 lbs
*211781	4 cu. yd / 2000 lbs	71 1/2"L x 85 1/2"W x 59 1/2"H	2 1/2" x 9 1/2" x 39" OC	970 lbs

*** Not stackable, casters not recommended. Non stock item, manufactured to order.**

---

jescoHUSKYDUMPER® EXTRA HEAVY DUTY FORMED BASE

10 Gauge Body 8 Gauge Base Stackable 3 High Empty

STOCKED ITEM

1 cu. yd. shown

Part No	Capacity	Dimensions	Fork Openings	Weight
211531	1 cu. yd / 4000 lbs	62"L x 41 1/2"W x 37"H	2 1/2" x 11" x 30" OC	485 lbs
211541	1 1/2 cu. yd / 4000 lbs	62"L x 59 1/2"W x 37"H	2 1/2" x 14" x 48" OC	630 lbs
211551	2 cu. yd / 4000 lbs	64"L x 59 1/2"W x 46"H	2 1/2" x 14" x 48" OC	690 lbs
211561	2 1/2 cu. yd / 4000 lbs	64"L x 59 1/2"W x 51"H	2 1/2" x 14" x 48" OC	730 lbs

---

jescoHUSKYDUMPER® SUPER HEAVY DUTY FORMED BASE

7 gauge body Base: 8 gauge (1/4-1/2 yd.) / .220 gauge (3/4-2 1/2 yd.) Stackable 3 high empty

STOCKED ITEM

2 cu. yd. shown

Part No	Capacity	Dimensions	Fork Openings	Weight
211301	1/4 cu. yd / 4000 lbs	49"L x 30 3/4"W x 26 1/2"H	2 1/2" x 8 1/2" x 20" OC	375 lbs
211305	1/3 cu. yd / 4000 lbs	48 1/2"L x 30 3/4"W x 31 1/2"H	2 1/2" x 8 1/2" x 20" OC	405 lbs
211311	1/2 cu. yd / 4000 lbs	48 1/2"L x 41 1/2"W x 31 1/2"H	2 1/2" x 11" x 30" OC	470 lbs
211321	3/4 cu. yd / 5000 lbs	56 3/4"L x 41 1/2"W x 35 1/2"H	2 1/2" x 11" x 30" OC	575 lbs
211331	1 cu. yd / 6000 lbs	62"L x 41 1/2"W x 37"H	2 1/2" x 11" x 30" OC	620 lbs
211341	1 1/2 cu. yd / 6000 lbs	62"L x 59 1/2"W x 37"H	2 1/2" x 11" x 48" OC	785 lbs
*211346	1 1/2 cu. yd / 6000 lbs	64"L x 46 1/2"W x 46"H	2 1/2" x13 1/2" x 35" OC	750 lbs
211351	2 cu. yd / 6000 lbs	64"L x 59 1/2"W x 46"H	2 1/2" x 14" x 48" OC	880 lbs
*211356	2 cu. yd / 6000 lbs	64"L x 46 1/2"W x 51"H	2 1/2" x 13 1/2" x 35" OC	790 lbs
211361	2 1/2 cu. yd / 6000 lbs	64"L x 59 1/2"W x 51"H	2 1/2" x 14" x 48" OC	905 lbs

*** Non stock item, manufactured to order.**

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Dimensions



211701



211705



211711



211731



211741



211751



211761



211771



211781



211531



211541



211551



211561



211301



211305



211311



211321



211331



211341



211346



211351



211356



211361

E-mail: Jesco@JescoOnline.com

TAYLOR
MATERIAL HANDLING & CONVEYOR
Phone: 419-867-3560
www.taylormhc.com

Website: www.JescoOnline.com

jescoHUSKYDUMPER® SUPER EXTRA HEAVY DUTY STRUCTURAL BASE

7 Gauge Body | 1/4" Base | Non-stackable | Non stock item, manufactured to order

2 cu. yd. shown

Part No	Capacity	Dimensions	Fork Openings	Weight
211332	1 cu. yd / 6000 lbs	62"L x 41 1/2"W x 37"H	3" x 11 1/4" x 30" OC	660 lbs
211342	1 1/2 cu. yd / 6000 lbs	62"L x 59 1/2"W x 37"H	3" x 11 1/4" x 30" OC	790 lbs
211352	2 cu. yd / 6000 lbs	64"L x 59 1/2"W x 46"H	3" x 11 1/4" x 30" OC	890 lbs
211362	2 1/2 cu. yd / 6000 lbs	64"L x 59 1/2"W x 51"H	3" x 11 1/4" x 30" OC	930 lbs

jescoHUSKYDUMPER® LARGE VOLUME HOPPERS SUPER HEAVY DUTY STRUCTURAL BASE

7 gauge body | Base: 1/4" (3-6 yd.) / 3/8" (8-10 yd.) | Non-stackable | Non stock item, manufactured to order

5 cu. yd. shown

Part No	Capacity	Dimensions	Fork Openings	Weight
**211371	3 cu. yd / 6000 lbs	71 1/2"L x 65 1/2"W x 59 1/2"H	3" x 10" x 39" OC	1250 lbs
**211381	4 cu. yd / 6000 lbs	71 1/2"L x 85 1/2"W x 59 1/2"H	3" x 10" x 39" OC	1350 lbs
**211391	5 cu. yd / 6000 lbs	71 1/2"L x 105 1/2"W x 59 1/2"H	3" x 10" x 39" OC	1550 lbs
*211411	6 cu. yd / 6000 lbs	71 1/2"L x 125 1/2"W x 59 1/2"H	3" x 10" x 39" OC	1650 lbs
*211431	8 cu. yd / 10000 lbs	91"L x 109"W x 70"H	3" x 10" x 50" OC	3000 lbs
*211451	10 cu. yd / 10000 lbs	91"L x 135"W x 70"H	3" x 10" x 50" OC	3500 lbs

*** Casters not available.** **** Special base required for use with casters. See page 8.**

jescoHUSKYDUMPER® LOW PROFILE HOPPERS SUPER HEAVY DUTY FORMED BASE

7 gauge body | 8 gauge base | Stackable 3 high empty | Non stock item, manufactured to order

1/4 cu. yd. shown

Part No	Capacity	Dimensions	Fork Openings	Weight
212299	1/8 cu. yd / 2000 lbs	30"L x 28 1/2"W x 17"H	2 1/2" x 7 1/2" x 18" OC	210 lbs
212301	1/4 cu. yd / 4000 lbs	30"L x 41 1/2"W x 17"H	2 1/2" x 10 3/4" x 29 1/2" OC	260 lbs
212305	1/3 cu. yd / 4000 lbs	44"L x 41 1/2"W x 24"H	2 1/2" x 10 3/4" x 29 1/2" OC	370 lbs
*212311	1/2 cu. yd / 4000 lbs	44"L x 49 1/2"W x 24"H	2 1/2" x 10 3/4" x 29 1/2" OC	410 lbs

*** Not stackable.**

TAYLOR MATERIAL HANDLING & CONVEYOR
Phone: 419-867-3560
www.taylormhc.com

Phone: 517-542-2903 Fax: 517-542-2501

Dimensions



211332



211342



211352



211362

Manufactured to order



211371



211381



211391



211411



211431



211451

Manufactured to order



212299



212301



212305



212311

Manufactured to order

jescoHUSKYDUMPER® LARGE VOLUME LOW PROFILE HOPPERS
SUPER HEAVY DUTY STRUCTURAL BASE

7 gauge body | 1/4" base | Non-stackable | Non stock item, manufactured to order

3 1/2 cu. yd. shown

Wide body design and convenient working height of 46" make these units naturals for handling large, long bulky items.

Lids not available.

Part No	Capacity	Dimensions	Fork Openings	Weight
**212361	2 1/2 cu. yd / 6000 lbs	64"L x 67 1/2"W x 46"H	3" x 10 1/2" x 39" OC	995 lbs
**212371	3 cu. yd / 6000 lbs	64"L x 87 1/2"W x 46"H	3" x 10 1/2" x 39" OC	1085 lbs
**212376	3 1/2 cu. yd / 6000 lbs	64"L x 101 1/2"W x 46"H	3" x 10 1/2" x 39" OC	1210 lbs

**** Special base required for use with casters. See below.**



212361



212371



212376

Special bases required when ordering casters on certain hoppers

Hoppers marked with two asterisks (**) require special bases (part no. 230600) in order to be equipped with casters. These special bases are in addition to the price of the hopper, as are the casters.

Contact a sales representative for further information and pricing.



jescoHUSKYDUMPER® LIDS

Lids are optional on units up to 2 1/2 cubic yard capacity. These units help in meeting environmental regulations and insurance codes. Contents of hoppers stay out of sight for a neater appearance.

Two piece lids are available for 1 cu. yd. through 2 1/2 cu. yd. capacity hoppers. Specify type A or type C lid.

Not available on low profile or narrow hoppers.

14 gauge material. Painted Vista Green.

Part No	Hopper Capacity	Weight
220044	1 cu. yd.	65 lbs
220054	1 1/2 cu. yd.	92 lbs
220064	2 cu. yd.	106 lbs
220074	2 1/2 cu. yd.	106 lbs

Type A
Front half opens only

Type C
Both halves open

jescoHUSKYDUMPER® CASTER OPTIONS

Hoppers with casters are easy to roll. Available in three types: Semi Steel (SS), Phenolic (PH) or Moldon Rubber (MR). Casters provide mobility on most surfaces.

Other caster options available.

Casters are welded to base of hoppers unless otherwise specified.

Capacity must match or exceed capacity of hopper.

Part No	Dimensions	Material	Capacity	Weight
240211	6"Dia. x 2"W	SS	4800 lbs	34 lbs
240231	6"Dia. x 2"W	PH	4000 lbs	28 lbs
240251	6"Dia. x 2"W	MR	2000 lbs	28 lbs
240351	6"Dia. x 2 1/2"W	MR	2400 lbs	38 lbs
240311	6"Dia. x 2 1/2"W	SS	6000 lbs	51 lbs
240331	6"Dia. x 2 1/2"W	PH	6000 lbs	37 lbs
240451	8"Dia. x 2"W	MR	2400 lbs	43 lbs
240511	8"Dia. x 2 1/2"W	SS	6000 lbs	61 lbs
240531	8"Dia. x 2 1/2"W	PH	6000 lbs	46 lbs

TAYLOR
MATERIAL HANDLING & CONVEYOR
Phone: 419-867-3580
www.taylormhc.com

Phone: 517-542-2903

Fax: 517-542-2501

jescoHUSKYDUMPER® OPEN SIDED HOPPERS
EXTRA HEAVY DUTY FORMED BASE

7 gauge body | 8 gauge base | Non-stackable | Non stock item, manufactured to order

These units are designed for long materials such as bar, pipe, lumber, plastic, tube etc. Can hold large capacities. Trip rope and safety retaining chain are standard. Painted Vista Green. Casters not available. Made to order.

211800

211810

Part No	Capacity	Dimensions	Fork Openings	Weight
211800	6000 lbs	52 1/2"L x 72"W x 30 1/2"H	2 1/2" x 11 1/2" x 30" OC	650 lbs
211810	6000 lbs	61 1/2"L x 54"W x 45 1/2"H	2 1/2" x 14" x 30" OC	760 lbs



211800



211810

---

jescoHUSKYDUMPER® Flat Deck Open-Sided With Extended Fork Pockets

NEW!

7 gauge body | 8 gauge base | Non-stackable | Non stock item, manufactured to order



These units are designed for long materials to be placed on the flat deck for ease of stacking. Ideal use for this unit is for plasma or laser skeletons.

The extended fork pockets bring the overall length from back against the forklift mast to the front edge of deck platform at 82 1/4" and with a base chain underneath deck attached to the base.

With safety in mind this unit has a safety latch, trip handle, trip rope assembly and a safety retaining chain.

A forklift must be used to transport material.

Deck size 48" x 72". Back wall 24" high.

Unit is rated at 3000 lbs capacity.



Part No	Dimensions	Fork Openings	Weight
211900	82 1/4"L x 72"W x 32 7/8"H	3 7/16" X 10 5/8" X 32 5/8" OC	865 lbs

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

jescoHUSKYDUMPER® Filter Press Hopper

7 gauge body | 1/4" base | Non-stackable | Non stock item, manufactured to order

The specialty Filter Press Hopper is used after the waste water has been eliminated and the filter cake is left.

Box is tapered front and back, square sides sitting on a forklift base. Safety retaining chain, safety latch, trip handle and a trip rope assembly installed on unit.

Mobility made easy with 4" x 2" polyurethane casters (non-marking) to position unit where needed. A forklift must be used to empty contents.

The Filter Press Hopper has been rated at 2800 lbs capacity.

Painted Vista Green.

Part No	Dimensions	Fork Openings	Weight
262110	44"L x 36"W x 29 13/16"H	3" X 8" X 22" OC	428 lbs
262130	52"L x 36"W x 29 13/16"H	3" X 8" X 28" OC	485 lbs
262140	60"L x 36"W x 29 13/16"H	3" X 8" X 28" OC	520 lbs
262150	72"L x 36"W x 29 13/16"H	3" X 8" X 28" OC	558 lbs
262160	82"L x 36"W x 29 13/16"H	3" X 8" X 28" OC	636 lbs
263120	48"L x 42"W x 29 13/16"H	3" X 8" X 28" OC	505 lbs
263140	60"L x 42"W x 29 13/16"H	3" X 8" X 28" OC	555 lbs
263150	72"L x 42"W x 29 13/16"H	3" X 8" X 28" OC	649 lbs
264140	58"L x 52"W x 29 13/16"H	3" X 8" X 28" OC	625 lbs
264150	66"L x 60"W x 29 13/16"H	3" X 8" X 28" OC	729 lbs





262110



263120



262130



263140



262140



263150



262150



264140



262160



264150

JESCO HUSKY DUMPER® Side Pivot Hopper

7 gauge body and base | 8 gauge fork pockets | Non-stackable | Non stock item, manufactured to order

This side pivot hopper is a specialty unit with shortened fork pockets and sloped front edge will allow the bucket to pivot between the casters to empty the contents.

The overall height of the unit with the 5" x 2" phenolic swivel casters is only 32".

Safety latch, trip handle, safety retaining chain and a trip rope assembly which is standard on all JESCO hoppers.

A forklift must be used to transport and empty the contents of the unit. Unlike most JESCOHUSKYDUMPERS this unit will require manual return of the bucket; the bucket will then engage the handle and the operator returns the safety latch to the locked or closed position ready for the next use.

The Side Pivot Hopper is rated at 4000 lbs capacity.

Painted Vista Green.

NEW!



Part No	Dimensions	Fork Openings	Weight
215000	49"L x 58 7/8"W x 32"H	3" X 8" X 28" OC	420 lbs

JESCO HUSKY DUMPER® Low Profile Portable Hopper

7 gauge body | 1/4" base | Non-stackable | Non stock item, manufactured to order

With its low profile it is ideal for placement under machinery for catching shavings, steel slugs, or holding small parts. Unit is welded watertight.

The push handle and 4" x 2" phenolic casters allow for easy maneuvering into place.

This unit dumps a full 90 degrees for full and complete content removal.

Safety chain is used underneath the unit to secure bucket to the base. Safety latch, trip handle, trip rope assembly and safety retaining chain are standard on all JESCO hoppers. This Low Profile Portable Hopper has been rated at 2800 lbs capacity. Painted Vista Green.

NEW!





215100



215150

Part No	Dimensions	Fork Openings	Weight
215100	48"L x 36"W x 20 13/16"H	3" X 8" X 16" OC	406 lbs
215150	48"L x 48"W x 20 13/16"H	3" X 8" X 16" OC	488 lbs

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

jescoHYDRATILT™ DUMPERS

The time tested construction of jescoHUSKY DUMPER® is now available in hydraulically controlled dumping hoppers. These units are **ideal where control of the quantity of material dumped or the speed of discharge is critical**. They **operate off the hydraulic system of your forklift and come complete with quick-disconnects for easy attachment to the forklift.** The operator controls the unit from the forklift seat.

Fork pockets are spaced 28" on center.

Available in 1/2, 3/4, 1 , 1 1/2 and 2 cubic yard capacities. All units have a 4000 lbs weight capacity.

Painted Vista Green.

Manufactured to order, 8 weeks minimum lead time.

Part No	Capacity	Dimensions	Fork Openings	Weight
213511	1/2 cu. yd.	53 1/4"L x 40 1/2"W x 33"H	2 1/2" x 7 1/2" x 28" OC	670 lbs
213521	3/4 cu. yd.	61 1/2"L x 40 1/2"W x 37"H	2 1/2" x 7 1/2" x 28" OC	680 lbs
213531	1 cu. yd.	66 5/8"L x 40 1/2"W x 38 1/2"H	2 1/2" x 7 1/2" x 28" OC	750 lbs
213541	1 1/2 cu. yd.	66 5/8"L x 59 1/2"W x 38 1/2"H	2 1/2" x 7 1/2" x 28" OC	842 lbs
213551	2 cu. yd.	68 5/8"L x 59 1/2"W x 47 1/2"H	2 1/2" x 7 1/2" x 28" OC	998 lbs



213511



213521



213531



213541



213551

90° DUMPERS

Low profile 90° dumping hoppers. Units have a full 90° dump angle with a cushioned rubber stop. Dumping with a forklift is quick and simple using the supplied remote trip rope. Units return to upright and locked position when lowered to the ground. Comes equipped with a safety retaining chain. Fork pockets are 7" x 2" x 22" on 11 5/8" centers. Powder coated blue. Not stackable.

Part No	Capacity	Gauge of Steel	Dimensions	Weight
214311	1/2 cu. yd / 6000 lbs	7	50"L x 25 1/2"W x 28"H	289 lbs
214331	1 cu. yd / 6000 lbs	7	51"L x 48 3/4"W x 28 1/2"H	432 lbs
214341	1 1/2 cu. yd / 6000 lbs	7	51"L x 48 3/4"W x 41"H	535 lbs
214511	1/2 cu. yd / 4000 lbs	10	50"L x 25 1/2"W x 28"H	265 lbs
214531	1 cu. yd / 4000 lbs	10	51"L x 48 3/4"W x 28 1/2"H	382 lbs
214541	1 1/2 cu. yd / 4000 lbs	10	51"L x 48 3/4"W x 41"H	509 lbs
214711	1/2 cu. yd / 2000 lbs	12	50"L x 25 1/2"W x 28"H	242 lbs
214731	1 cu. yd / 2000 lbs	12	51"L x 48 3/4"W x 28 1/2"H	349 lbs
214741	1 1/2 cu. yd / 2000 lbs	12	51"L x 48 3/4"W x 41"H	486 lbs

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

jesco® ROTATOR BOX

7 gauge body | 7 gauge fork pockets | Non-stackable | Non stock item, manufactured to order

The Rotator box is designed for the collection and storage of bulk material. The 6,000 lbs capacity box can be dumped with a rotating fork attachment (not included); fork openings are 3"x8". Box is manufactured from 7 gauge steel.

Available in 1 cubic yard to 2.67 cubic yards to handle all your bulk material handling requirements. The seams are continuously welded.
This rotating box will reduce operation cost, increase productivity and provide a safe method of material handling. Custom engineered and special designs are available. Contact our engineering and sales staff to discuss your specific needs and ideas.

Applications: shredded material, recycled material, bulk material storage.

Optional lifting lugs and casters.

6000 lbs capacity.

Painted Vista Green.

Manufactured to order.

NEW!

Part No	Capacity	Dimensions	Fork Openings	Weight
260010	1.00 cu. yd.	36"L x 36"W x 39 3/16"H	3" X 8" X 28" OC	440 lbs
260020	1.33 cu. yd.	48"L x 36"W x 39 3/16"H	3" X 8" X 28" OC	510 lbs
260030	1.67 cu. yd.	60"L x 36"W x 39 3/16"H	3" X 8" X 28" OC	590 lbs
260040	2.00 cu. yd.	72"L x 36"W x 39 3/16"H	3" X 8" X 28" OC	660 lbs
260110	1.75 cu. yd.	48"L x 48"W x 39 3/16"H	3" X 8" X 28" OC	610 lbs
260120	2.25 cu. yd.	60"L x 48"W x 39 3/16"H	3" X 8" X 28" OC	690 lbs
260130	2.67 cu. yd.	72"L x 48"W x 39 3/16"H	3" X 8" X 28" OC	770 lbs

---

jesco® TOWABLE ROTATOR BOX

7 gauge body | 7 gauge fork pockets | Non-stackable | Non stock item, manufactured to order

Towable Rotator Box is designed for the collection and storage of bulk materials. The towing tongue (wishbone style) is towable and rolls on 8"x2 1/2" Polyurethane casters. Four different sizes are available to handle all your bulk handling of your material.

Fork openings are 3" x 8" to be used with a forklift with a rotator attachment (not included). The box has seams continuously welded.

Custom engineering and custom design assistance is available to fulfill your special project requirements.

Applications: Machine shops managing shredded material, recycling material, bulk material storage.

6000 lbs capacity.

Painted Vista Green.

Manufactured to order.

NEW!

Part No	Capacity	Dimensions	Fork Openings	Weight
250010	1.67 cu. yd.	60"L x 36"W x 45 1/2"H	3" X 8" X 28" OC	650 lbs
250020	2.00 cu. yd.	72"L x 36"W x 45 1/2"H	3" X 8" X 28" OC	725 lbs
250050	2.25 cu. yd.	60"L x 48"W x 45 1/2"H	3" X 8" X 28" OC	760 lbs
250060	2.67 cu. yd.	72"L x 48"W x 45 1/2"H	3" X 8" X 28" OC	810 lbs

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

jesco® CHIP & WASTE TRUCK

Caster option B shown

Chip and waste trucks can handle the big bulk capacity jobs. Helps with savings on housekeeping and safety in the work place.

Units are designed for confined areas and tight turns with less effort to dump.

Rugged construction of 14 gauge steel. All models are leakproof.

Mounted on moldon rubber wheels. Two 10" x 2 1/2" load wheels.

Option A is one 8" x 2" moldon rubber swivel caster. Option B is two 8" x 2" moldon rubber swivel casters.

Painted Vista Green.

Manufactured to order.

Part No	Swivel Caster	Capacity	Dimensions	Weight
290200	A	5/8 cu. yd / 1500 lbs	68"L x 24 1/2"W x 40"H	200 lbs
290300	B	3/4 cu. yd / 2000 lbs	68"L x 30 1/2"W x 40"H	245 lbs
290400	B	1 cu. yd / 2000 lbs	68"L x 36 1/2"W x 40"H	265 lbs

jesco® MANUAL TILT TRUCK

271231 shown

Heavy duty 14 gauge steel body with reinforced corners.

Units are designed for **manual** handling of light weight, in plant refuse such as cardboard, paper, wood, pallets or trash etc. Not watertight.

Not for use with a forklift.

Four 6" Moldon Rubber casters (2 rigid, 2 swivel).

Painted Vista Green.

Manufactured to order.

Part No	Capacity	Dimensions	Weight
271231	1 cu. yd / 2000 lbs	57"L x 30 1/2"W x 43"H	200 lbs
271251	2 cu. yd / 2000 lbs	57"L x 57 1/2"W x 43"H	290 lbs

jesco® MANUAL TILT TRUCK LOW PROFILE

JESCO Manual Tilt Trucks has added two new low profile models. The .38 and .75 cubic yard stands 30" overall height to the top of the push handle while the bucket measures 24" from the floor to the top edge. manufactured from 13 gauge steel with reinforced corners.

Units are designed for manual handling of light weight materials and roll on 6"x 2" mold on rubber casters.

Maximum capacity is 1000 lbs.

Not to be used with forklift or rotator.

Units are not watertight.

Painted Vista Green.

NEW!

271211 shown



271211



271221

Part No	Dimensions	Weight
271211	47 13/16"L x 30 1/16"W x 24"H	136 lbs
271221	47 13/16"L x 57 1/16"W x 34"H	194 lbs

Phone: 517-542-2903

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3580 www.taylormhc.com

Fax: 517-542-2501

jesco® CYLINDER STORAGE CABINETS

Designed to be used for storage of either full or empty 33# or 43# LP cylinders.

5 sizes available to meet your requirements.

Painted yellow.

Shipped KD.

Part No	Capacity	Doors	Dimensions	Weight
116050	4 cylinders	1	30"L x 41"W x 42"H	249 lbs
116055	6 cylinders	1	30"L x 41"W x 56"H	306 lbs
116060	8 cylinders	1	30"L x 41"W x 72"H	358 lbs
116070	12 cylinders	1	42"L x 41"W x 72"H	440 lbs
116080	16 cylinders	2	60"L x 41"W x 72"H	586 lbs



Model 116060



Model 116080

jesco® VERTICAL STORAGE CABINETS

Model 116514



Model 116524

Store and protect your vertical cylinders in a tamper proof cabinet.

Rectangular 2" x 1" mesh welded to steel angle and channel frames. Heavy duty hinges and padlock lugs. Galvanized steel roof. Safety chain for securing cylinders.

Meets OSHA and NFPA requirements.

Painted safety yellow.

Shipped KD.

Note: Capacity based on 9" dia. cylinders.

Part No	Capacity	Doors	Dimensions	Weight
116514	9 cylinders	1	30"L x 41"W x 72"H	285 lbs
116524	18 cylinders	2	60"L x 41"W x 72"H	463 lbs

jesco® CYLINDER PALLET

Securely holds 4, 6 or 8 vertical 9" dia. cylinders safely in place for easy storage or transporting by forklift.

Hinged dividers provide convenient access.

All welded steel construction. Fork tubes are 5" wide.

Units are fully assembled and ready to use.

Painted Jesco standard blue.

Note: Always follow all safety rules of your company, OSHA and the manufacturer of the forklift.

Part No	Capacity	Dimensions	Weight
116615	4 cylinders	23"L x 34"W x 40"H	120 lbs
116625	6 cylinders	33"L x 34"W x 40"H	154 lbs
116635	8 cylinders	43"L x 34"W x 40"H	186 lbs

jescoBARRIER®

Wire mesh guarding systems provide an excellent method of defining work areas, aisle ways, or departments. With the proper layout you are able to restrict unnecessary traffic and direct the flow of materials in a plant or warehouse.

These systems are quickly installed with standard hand tools. Layout changes may be accomplished with little or no waste. The Panel System allows barrier to be relocated and used again as the need grows.

8" sweep space. All hardware and anchors included. Panels are painted dark gray. Posts are powder coated yellow.

Part No	Dimensions	Weight
Panels		
390001	10'W x 5'H	75 lbs
390011	9'W x 5'H	70 lbs
390021	8'W x 5'H	65 lbs
390031	7'W x 5'H	55 lbs
390041	6'W x 5'H	50 lbs
390051	5'W x 5'H	40 lbs
390061	4'W x 5'H	35 lbs
390071	3'W x 5'H	25 lbs
390081	2'W x 5'H	20 lbs
390091	1'W x 5'H	18 lbs
Line Post		
392911	2"W x 5'8"H	14 lbs
Corner Post		
392961	2"W x 5'8"H	14 lbs
Door (w/posts)		
393111	4'W x 5'H	73 lbs

jesco® PARTITION SYSTEMS

Extra heavy duty all welded steel construction using 2" x 1" x 10 gauge woven rectangular mesh. Steel angle frame is 1¼" x 1¼" x ⅛". Doors equipped with padlock lugs as standard, cylinder lock optional. For complete assembly, hardware and floor anchors are included.

Ideal where security is required. Provide a sketch and we will do the rest.

Standard 3 inch sweep height.

This wire partition comes pre-engineered for easy installation. No special tools required. When relocation is required, disassembly and assembly is made easy.

This system allows for full visibility without air, light or heat restriction.

Standard color is dark gray (PM9017).



Part No	Dimensions	Weight
Panels		
390001	10'W x 5'H	75 lbs
390011	9'W x 5'H	70 lbs
390021	8'W x 5'H	65 lbs
390031	7'W x 5'H	55 lbs
390041	6'W x 5'H	50 lbs
390051	5'W x 5'H	40 lbs
390061	4'W x 5'H	35 lbs
390101	10'W x 4'H	65 lbs
390111	9'W x 4'H	60 lbs
390121	8'W x 4'H	55 lbs
390131	7'W x 4'H	45 lbs
390141	6'W x 4'H	40 lbs
390151	5'W x 4'H	35 lbs
390161	4'W x 4'H	30 lbs

Technical Data
Mesh: 2" x 1" rectangular woven wire mesh, 10 gauge
Frame: 1¼" x 1¼" x ⅛" angle
Posts: 2" x 2" square, 14 gauge
Hardware: Zinc plated
Sweep space: 3"

jesco® DOORS & COMPONENTS

10 Gauge woven wire - 2" X 1" mesh. Standard paint color is Drak Gray (PM9017)

Single Slide Doors No Transom



Slide doors are mounted on the outside of enclosure and can be installed to close left or right.

Padlock lugs are standard. ***Cylinder locks optional, order part # 301406.***

Track set comes complete with guides and stops.

We fabricate a wide assortment of heights and widths to fit your requirements.

Part No	Dimensions	Weight
391101	3'W x 8'H	80 lbs
391151	4'W x 8'H	99 lbs
391161	5'W x 8'H	113 lbs
391171	6'W x 8'H	135 lbs
391201	8'W x 8'H	172 lbs
391251	10'W x 8'H	201 lbs
391271	3'W x 10'H	97 lbs
391281	4'W x 10'H	121 lbs
391301	5'W x 10'H	138 lbs
391351	6'W x 10'H	164 lbs
391391	8'W x 10'H	204 lbs
391401	10'W x 10'H	247 lbs

Single Hinge Doors



Stock doors are hinged left swing out.

Standard door height is 7'.

Transoms are used with 8' or 10' doors.

Padlock lugs are standard. ***Cylinder lock optional, order part # 301402.***

Part No	Dimensions	Weight
391611	3'W x 8'H (1' Transom)	80 lbs
391641	4'W x 8'H (1' Transom)	94 lbs
391631	3'W x 10'H (3' Transom)	90 lbs
391661	4'W x 10'H (3' Transom)	107 lbs

How to Layout our Enclosure



1. Make a hand sketch of the area showing L x W x H of the enclosure.
2. Locate doors?
3. Is ceiling required? (Add to overall height)
4. Cylinder locks? (Padlock lugs standard)
5. Paint finish? (standard is Dark Gray).

Service Window Panels

Slide up windows are **factory installed in panels**. Opening is 24" W x 20" H. Can be secured opened or closed. Shelf is shipped KD.



Part No	Dimensions	Weight
390602	4'W x 8'H	95 lbs
390603	4'W x 10'H	105 lbs

Accessories

Panel Connection

Tube Cap


Fill-A-Space Panel

Adjustable Corner

Cylinder Lock

Padlock

3 Way

Corner Post

Line Post

Part No	Description	Weight
392101	Adjustable hinge corner kit	3 lbs
392061	8' Corner/3-4 way post	20 lbs
392081	10' Corner/3-4 way post	24 lbs
392011	8' Line post	20 lbs
392031	10' Line post	24 lbs
392292	8' Hinged door post	19 lbs
392294	10' Hinged door post	23 lbs
392161	8' Slide door post	20 lbs
392181	10' Slide door post	24 lbs

E-mail: Jesco@JescoOnline.com

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Website: www.JescoOnline.com

jesco® OVER CAR STORAGE LOCKER

Easily accessible, secured storage out of the way of the parked car. The unused areas at the head of the parking area can be turned into valuable storage lockers for the owner or tenant. The Over Car Storage Locker can be attached to either the garage wall or ceiling.

The 2" x 1" mesh bottom panel with the angle supports will easily support 400 lbs evenly distributed over the entire bottom of unit.

Each Over Car Storage Locker comes with padlockable slide doors. Padlocks not included.

Painted dark gray.

- **2" x 1" rectangular mesh**
- **10 gauge woven wire welded into an angle frame**
- **1 1/4" x 1 1/4" x 1/8" angle frame and support braces**
- **2" x 1" rectangular mesh side panels**
- **Interconnecting hardware included**

Options: Ceiling panel, Backs, Galvanazing, Powder Coating.

Optional colors: Light Gray, OSHA Blue, Black and Vista Green.



Part No	Dimensions	Weight
384100	6'L x 3'W x 3'H	185 lbs
384110	8'L x 3'W x 3'H	240 lbs

jesco® WELDED STORAGE LOCKERS

- **Employee lockers**
- **Small package storage**
- **Equipment storage**

Welded 3 door heavy duty storage lockers. 1 1/4" x 1 1/4" x 1/8" angle frame work, 13 gauge shelves, 2" x 1" 10 gauge woven wire mesh sides.

Units are 75" high and have 21" clearance between shelves.

Each door is equipped with separate padlock lugs.

1500 lbs total capacity. 500 lbs per shelf, distributed evenly.

Painted dark gray.

Part No	Dimensions	Weight
383120	18"L x 18"W	121 lbs
383140	24"L x 24"W	170 lbs
383160	30"L x 30"W	216 lbs
383180	36"L x 36"W	274 lbs

Phone: 517-542-2903

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Fax: 517-542-2501

jesco® BULK STORAGE LOCKERS

Modular three sided units provide safe, secure storage for apartments, town house basement areas, office buildings, shops, factories, etc. Units are designed to expand with your needs. Easy to install.

Order one starter unit per run, then attach Add-On Units as needed.

2" x 1" x 10 gauge woven rectangular mesh permits maximum air movement. Units are padlockable with steel frames that attach easily to existing walls. Double tier unit comes with reinforced galvanized shelf. Hardware is included **(tops, roofs, backs and floor anchors are optional)**.

Single or double tier units are 90" high. **For full height doors (no transoms), append FH to the part number.** Full height doors are reversible to hinge on either side. Choice of 3' or 4' widths. Painted dark gray.

Available in:

2" x 1"	8 gauge
1" x 1"	10 gauge
1½-16	Expanded metal
1½-13	Expanded metal

Consult factory for price.



Starter

Add-on

Single Tier

Dimensions	Starter Units Part No	Starter Units Weight	Add-on Units Part No	Add-on Units Weight
3'W x 3'D	380305	147 lbs	380365	108 lbs
3'W x 4'D	380310	164 lbs	380370	116 lbs
3'W x 5'D	380315	181 lbs	380375	125 lbs
4'W x 3'D	380320	153 lbs	380380	114 lbs
4'W x 4'D	380325	170 lbs	380385	122 lbs
4'W x 5'D	380330	187 lbs	380390	131 lbs



Starter

Add-on

Full height lockers can be had by appending FH to the part number when ordering.

Double Tier

Dimensions	Starter Units Part No	Starter Units Weight	Add-on Units Part No	Add-on Units Weight
3'W x 3'D	380335	170 lbs	380395	131 lbs
3'W x 4'D	380340	195 lbs	380400	147 lbs
3'W x 5'D	380345	220 lbs	380405	154 lbs
4'W x 3'D	380350	189 lbs	380410	150 lbs
4'W x 4'D	380355	208 lbs	380415	164 lbs
4'W x 5'D	380360	242 lbs	380420	187 lbs

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

jescoPALLETGARD®

Keep objects from falling off loaded pallet racks by using palletgard panels.

Constructed from 1¼" angle frame and 2" x 1" x 10 gauge rectangular mesh.

Easy to install, just bolt clips to pallet rack upright and fasten to panel.

Standard panels are available in widths of 8', 9' or 10' and heights of 4' and 5'. The 3'6" wide panels are used to enclose ends of racks. Interconnecting hardware is included. Clips are not included. Order size and quantity below. 1 package containing 4 clips is required per panel.

Custom size clips and panels are available to fit most applications. Painted dark gray.

Part No	Dimensions	Weight
390167	3'H x 3'6"W	23 lbs
390166	4'H x 3'6"W	30 lbs
390165	5'H x 3'6"W	33 lbs
390121	4'H x 8'W	55 lbs
390021	5'H x 8'W	65 lbs
390111	4'H x 9'W	60 lbs
390011	5'H x 9'W	70 lbs
390101	4'H x 10'W	65 lbs
390001	5'H x 10'W	75 lbs

STOCKED ITEM

Clips are designed to fit most standard, drilled pallet racks spaced 2" on center.

Painted dark gray (PM9017).

4 clips in each package.

Part No	Dimensions	Weight
393200	1¼"L	2 lbs
393210	4"L	3 lbs
393220	6"L	4 lbs
393230	8"L	5 lbs



jescoPALLETGARD® DOORS

Doors help to provide security of records, files, inventory etc. from unauthorized personnel. Fabricated with 1¼" angle frame and 2" x 1" 10 gauge woven wire mesh. Padlock lugs are standard. See above for side panels and clips. Painted dark gray (PM9017). Shipped KD.

Double slide door

Slide Doors		
Part No	Dimensions	Weight
385061	8'H x 8'W	195 lbs
385081	10'H x 8'W	245 lbs
385111	8'H x 10'W	225 lbs
385131	10'H x 10'W	295 lbs

Hinge Doors		
Part No	Dimensions	Weight
385261	8'H x 8'W	130 lbs
385281	10'H x 8'W	170 lbs
385311	8'H x 10'W	145 lbs
385331	10'H x 10'W	195 lbs

Double hinge door

jesco® EEZY STAK®

This system has been designed and engineered to SAVE UP TO 75% on your setup time.

Woven wire mesh panels are securely welded into a strong angle frame with a dark gray paint finish. All posts are painted safety yellow. Each panel and post is packaged then crated for extra protection.

We also offer many options such as wainscoting, polycarbonate and acrylic panels, welding curtains and noise control panels.

If you do not see the sizes that meet your requirements, just give us a foot print of your work area and we will design the jesco® EEZY STAK® system to meet your needs.

Note: Always follow OSHA, RIA and ANSI standards.

Technical Data	
Mesh Opening:	2" x 1" mesh, 10 gauge wire
Angle Frame:	1 1/4" x 1 1/4" x 1/8"
Post:	2" x 2", 14 gauge, 5'8" length
Door:	48" x 60"
Hardware:	Zinc plated

Hardware Details



Panels		
Part No	Dimensions	Weight
333501	10'W x 5'H	78 lbs
333511	9'W x 5'H	71 lbs
333521	8'W x 5'H	65 lbs
333531	7'W x 5'H	59 lbs
333541	6'W x 5'H	53 lbs
333551	5'W x 5'H	46 lbs
333561	4'W x 5'H	35 lbs
333571	3'W x 5'H	27 lbs

Hinged Doors		
Part No	Dimensions	Weight
335201	3'W x 5'H	66 lbs
335205	4'W x 5'H	73 lbs
335207	5'W x 5'H	81 lbs

Posts		
Part No	Description	Weight
336253	Line post	15 lbs
336273	Corner post	15 lbs
336283	3-way post	16 lbs
336293	4-way post	16 lbs
336421	End post	15 lbs

WIRE PARTITION LOCK OPTIONS

STANDARD AND OPTIONAL LOCKS

Standard front with cylinder lock.

Standard back with knob.

Lever handle. Back view.

Brushed aluminum lever handle, with or without cylinder lock. Front view.

PANIC BAR



Full width panic bars enable easy exit even in emergency situations. Cylinder lock on front.

NOMMA

WWPA Woven Wire Products Association

STANDARD PAINT COLOR

Dark Gray PM9017

OPTIONAL PAINT COLORS

Vista Green PM6138

OSHA Blue PM5180

Red Primer PM9936

Light Gray PM9640

Midnight Black PM9020

Note: Actual paint colors may vary from printed colors.

Mesh Types
Diamond
Rectangular
Square

Gauges
10
8
6

Finishes
Painted
Powder Coated
Galvanized

WOODEN CRATE PROTECTS YOUR PRODUCT

All your small wire partition orders are double protected to help eliminate freight damage. Each panel is protected in dunnage, then the panels are put into a strong wooden crate as shown. We feel this is a better way to protect your product.

Heat treated crates required for export are available at additional cost.



WIPCO®

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Phone: 517-542-2903 Fax: 517-542-2501

jesco® INFILL PANELS

TAYLOR MATERIAL HANDLING & CONVEYOR
Phone: 419-867-3560
www.taylormhc.com

Jesco® Industries will custom fabricate these panels to meet your specific requirements. Available in diamond, rectangular and square mesh with or without standoffs. Standard frame is 1" x 1/2" channel with 10 gauge woven wire mesh.

Other size framing materials and mesh are available. Banding is required for panels with standoffs - specify weld pattern and types of weld finish desired. All types of finishes available.

Note: Always check and follow local building codes for your area.

WWPA™ Woven Wire Products Association

Diamond mesh


Square mesh

Panel with hemmed edge


Diamond mesh with standoff

Square mesh with Standoff

Panel capped with channel



No evidence of weld joint.

Finish sanded - Welds undercut & pin holes.

Partially finished, spatter removed.

As applied, no finish.



INFILL PANEL FRAME OPTIONS


1/2" x 1" x 1/8" channel frame.


1/2" x 1" x 1/8" channel frame with 5/8" x 1 1/4" x 1/8" channel cap.


1/2" x 1" x 1/8" channel frame with 1/8" x 1" flat bar cap.


1 1/2" x 16 gauge U-edging.

jesco® PARTITIONS

1½" DIAMOND MESH

Wire mesh partitions are pre-engineered for easy installation allowing unrestricted visibility and total air circulation.

Low initial cost and maintenance.

Partitions are provided complete with galvanized top cap. Anchors optional.

Ceiling (non load bearing) adds to overall height.

Standard color is dark gray.

STOCKED ITEM

Panels

Part No	Dimensions	Weight
300101	1'W x 7'H	16 lbs
300102	2'W x 7'H	24 lbs
300103	3'W x 7'H	31 lbs
300104	4'W x 7'H	39 lbs
300105	5'W x 7'H	46 lbs
300107	1'W x 8'H	18 lbs
300108	2'W x 8'H	26 lbs
300109	3'W x 8'H	35 lbs
300110	4'W x 8'H	43 lbs
300111	5'W x 8'H	51 lbs
300119	1'W x 10'H	22 lbs
300120	2'W x 10'H	32 lbs
300121	3'W x 10'H	41 lbs
300122	4'W x 10'H	51 lbs
300123	5'W x 10'H	60 lbs

Technical Data

Mesh: 1½" diamond woven wire mesh, 10 gauge
Frame: 1¼" x ⅝" channel
Corner angle: 1¼" x 1¼" x ⅛"
Channel line post: 4" formed
Cap channel: Galvanized
Hardware: Zinc plated
Sweep space: 2½"

WIPCO®

VWPA™ Woven Wire Products Association

Adjustable corner angle

Part No	Dimensions	Weight
301281	7'H	11 lbs
301282	8'H	13 lbs
301284	10'H	16 lbs

Corner angle

Part No	Dimensions	Weight
301271	7'H	7 lbs
301272	8'H	8 lbs
301274	10'H	10 lbs

Channel line posts

Part No	Dimensions	Weight
301251	7'H	14 lbs
301252	8'H	16 lbs
301254	10'H	19 lbs

Used as stiffener every 15 ft.

Fill-a-space panels

Part No	Dimensions	Weight
301301	7'H	19 lbs
301302	8'H	22 lbs
301304	10'H	27 lbs

Adjusts from 2" to 12". Used to fill odd sized spaces.

Wall clip. Required for each wall connection.

Adjustable wall clip. Allows up to 1" of adjustment

Three-way clips. Required when 3 panels meet.

Clips

Part No	Description	Weight
301361	Wall clips (3 pcs.)	.40 lbs
301362	Adjustalbe wall clips (3 pcs.)	.65 lbs
301363	Three-way clips	.82 lbs

Vertical C-channel frame between panels.

Horizontal stiffener channels

Galvanized top cap. Pre-punched to span more than one panel.

Floor Shoes

Phone: 517-542-2903

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Fax: 517-542-2501

jesco® SLIDING DOORS

Single sliding doors fit most needs. Doors are 7' high with transom or full height. These doors are complete and ready to install. Doors are mounted outside. Closes to the right or left. Allow 1' from corner.

Padlock lugs are standard. Cylinder lock optional on all doors, order part no. 301406.

Track adds 6" to height on full height doors.

Shipped KD.

Sliding Doors		
Part No	Dimensions	Weight
300452	3'W x 8'H (1' Transom)	94 lbs
300458	4'W x 8'H (1' Transom)	108 lbs
300464	5'W x 8'H (1' Transom)	123 lbs
300470	6'W x 8'H (1' Transom)	179 lbs
300454	3'W x 10'H (3' Transom)	106 lbs
300460	4'W x 10'H (3' Transom)	118 lbs
300466	5'W x 10'H (3' Transom)	135 lbs
300472	6'W x 10'H (3' Transom)	202 lbs

Full Height Sliding Doors		
Part No	Dimensions	Weight
300551	3'W x 7'H	111 lbs
300563	5'W x 7'H	143 lbs
300569	6'W x 7'H	197 lbs
300575	8'W x 7'H	230 lbs
300581	10'W x 7'H	262 lbs
300552	3'W x 8'H	117 lbs
300564	5'W x 8'H	154 lbs
300570	6'W x 8'H	210 lbs
300576	8'W x 8'H	245 lbs
300582	10'W x 8'H	278 lbs
300554	3'W x 10'H	130 lbs
300566	5'W x 10'H	167 lbs
300572	6'W x 10'H	238 lbs
300578	8'W x 10'H	275 lbs
300584	10'W x 10'H	305 lbs



jesco® HINGED DOORS

Hinged doors are 7' high without transom. Doors are complete and ready to install.

Standard doors are hinged left - swing out, but can be reversed to hinged right - swing in.

Padlock lugs are standard. Cylinder lock optional on all doors, order part no. 301402.

Shipped KD.



Part No	Dimensions	Weight
300721	3'W x 7'H (No transom)	61 lbs
300727	4'W x 7'H (No transom)	68 lbs
300722	3'W x 8'H (1' Transom)	67 lbs
300728	4'W x 8'H (1' Transom)	75 lbs
300724	3'W x 10'H (3' Transom)	72 lbs
300730	4'W x 10'H (3' Transom)	79 lbs

jesco® DUTCH DOORS

Doors are all 7' high, hinged left swing out only.

Comes complete and ready to install.

Service shelf is 8" deep. Padlock lug standard.

Shipped KD.

Part No	Dimensions	Weight
300871	3'W x 7'H (No transom)	76 lbs
300872	3'W x 8'H (1' Transom)	82 lbs
300874	3'W x 10'H (3' Transom)	87 lbs



jesco® SERVICE WINDOW

Service window can be secured open or closed. Opening 24"W x 20"H, with an 8" deep shelf.

Panel is extra. Ship wt. 35 lbs. Factory Installed.

Part No	Dimensions	Weight
300376	24"W x 20"H	35 lbs

How to layout your enclosure

1. Make a sketch of the area showing L x W x H of the enclosure.
2. Locate doors
3. Is ceiling required?
4. Cylinder locks or padlock lugs (standard)?
5. Paint finish. Standard is Dark Gray.



jesco® DROP SHELF

Drop shelf can be secured open or closed. Opening is 24"W x 15"H. Panel is extra. Factory Installed.

Part No	Dimensions	Weight
300377	24"W x 15"H	34 lbs

WWPA™ Woven Wire Products Association

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

jescoENCLOSURE™

We offer a complete line of standard wire mesh enclosures in 1½" 10 gauge diamond wire mesh.

These units are available in a variety of sizes to meet your needs and are easy to assemble.

Modular design allows you to expand or relocate as necessary.

Assembles with a minimal amount of tools.

Cages are equipped with slide door and transoms.

Padlock lugs are standard. Sweep space is 2½".

Cylinder lock, floor anchors and wall anchors are optional extras.

Painted dark gray. Shipped KD.

Technical Data
Mesh: 1½" diamond woven wire mesh, 10 gauge
Frame: 1¼" x ⅝" channel
Corner angle: 1¼" x 1¼" x ⅛"
Channel line post: 4" formed
Cap channel: Galvanized
Hardware: Zinc plated
Sweep space: 2½"

WIPCO®

Enclosures without ceiling

Dimensions	2 Sided Enclosure Part No	2 Sided Enclosure Weight	3 Sided Enclosure Part No	3 Sided Enclosure Weight	4 Sided Enclosure Part No	4 Sided Enclosure Weight
10'L x 10'W x 8'H	375955	285 lbs	376105	395 lbs	376255	512 lbs
10'L x 10'W x 10'H	375960	326 lbs	376110	456 lbs	376260	595 lbs
10'L x 20'W x 8'H	375975	387 lbs	376125	497 lbs	376275	716 lbs
10'L x 20'W x 10'H	375980	446 lbs	376130	576 lbs	376280	835 lbs
15'L x 20'W x 8'H	375985	443 lbs	376135	605 lbs	376285	824 lbs
15'L x 20'W x 10'H	375990	512 lbs	376140	702 lbs	376290	955 lbs
10'L x 20'W x 8'H	375995	497 lbs	376145	701 lbs	376295	920 lbs
10'L x 20'W x 10'H	376000	566 lbs	376150	816 lbs	376300	1075 lbs
10'L x 30'W x 8'H	376035	597 lbs	376185	809 lbs	376340	1130 lbs
10'L x 30'W x 10'H	376040	692 lbs	376190	942 lbs	376345	1321 lbs

Enclosures with ceiling

Dimensions	2 Sided Enclosure Part No	2 Sided Enclosure Weight	3 Sided Enclosure Part No	3 Sided Enclosure Weight	4 Sided Enclosure Part No	4 Sided Enclosure Weight
10'L x 10'W x 8'H	375505	427 lbs	375655	546 lbs	375805	670 lbs
10'L x 10'W x 10'H	375510	469 lbs	375660	594 lbs	375810	753 lbs
10'L x 20'W x 8'H	375525	655 lbs	375675	770 lbs	375825	1006 lbs
10'L x 20'W x 10'H	375530	711 lbs	375680	849 lbs	375830	1125 lbs
15'L x 20'W x 8'H	375535	883 lbs	375685	1052 lbs	375835	1288 lbs
15'L x 20'W x 10'H	375540	942 lbs	375690	1149 lbs	375840	1425 lbs
10'L x 20'W x 8'H	375545	1072 lbs	375695	1295 lbs	375845	1539 lbs
10'L x 20'W x 10'H	375550	1143 lbs	375700	1410 lbs	375850	1686 lbs
10'L x 30'W x 8'H	375585	1480 lbs	375735	1710 lbs	375885	2064 lbs
10'L x 30'W x 10'H	375590	1575 lbs	375740	1831lbs	375890	2247 lbs

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

jesco® WINDOW GUARDS

Help protect your establishment by using these crimped steel mesh guards around your windows.

Window guards help prevent breaking, vandalism, burglary and allows light through without restriction.

Choose from either rod frame or channel frame styles. Can be installed either stationary or with the ability to open.

Standard color is dark gray (PM9017). Optional galvanized or special paint colors.

Minimum fabrication of 15 sq. ft. per window guard.

Note: Always follow all safety codes.

Mesh Types

A	1" Square, 10 gauge	**D**	1½" Square, 10 or 8 gauge
B	1" x 2" Rectangular, 10 gauge	**E**	2" Square, 8 or 6 gauge
C	1½" Diamond, 10 or 8 gauge	**F**	2" Diamond, 8 or 6 gauge

WWPA™ Woven Wire Products Association



Square Mesh



Rectangular Mesh



Diamond Mesh

Rod Frames



Frame is made with ½" dia. rod. The mesh is secured around the rod.

Channel Frames



Uses 1" x ½" steel channel frame with 10 gauge wire. Is recessed and fastened within casing of window for a flush mount.

Installation Options

Fixed Clip
304121

Rod Face Mount

Fixed Clip
304121

Rod Inset

Hinge Kit 304221 **Padlock Hasp Kit** 304321

Rod Hinged

Fixed Clip
304131

Channel Face Mounted

Fixed Clip
304131

Channel Inset

Hinge Kit 304231 **Padlock Hasp Kit** 304331

Channel Hinged

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 479-867-3560 www.taylormhc.com

jescoGARD®

Lift out rails shown

Standard rails shown

jescoGARD. acts as both a visual and physical barrier to help protect people and property such as aisles, docks, conveyors and other equipment.

Designed and tested to stop a 10,000 lbs load impacting at 4 mph from breaking through.

Rails are measured from center to center of the 4 inch square tube posts. As an example, a 10'L rail with posts will be 10'4"L overall.

All hardware is included and is shipped in crates. Plastic top caps are standard. Steel caps available at extra cost.

Painted safety yellow.

Posts

Part No	Dimensions	Post Type	Weight
131103	18"H	Single	39 lbs
131123	42"H	Double	64 lbs

Rails

Part No	Dimensions	Rail Type	Weight
131003	10'L	Standard	99 lbs
131013	8'L	Standard	80 lbs
131023	6'L	Standard	62 lbs
131043	4'L	Standard	42 lbs
131006	10'L	Lift out	108 lbs
131016	8'L	Lift out	96 lbs
131026	6'L	Lift out	77 lbs
131046	4'L	Lift out	58 lbs



jescoGARD. Layout



Lift out rails shown

Technical Data

Rails: 11 gauge formed, 3 ribs
Posts: 4" x 4" x 1/4" square tube
Base plates: 10" x 10" x 5/8"
Sleeve anchors: (4) 3/4" x 6 1/4" long

Lift out rails shown

Phone: 517-542-2903

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Fax: 517-542-2501

jescoGARD® Machinery and Rack Guards

Applications to protect your expensive racking, electrical panels, production equipment and machinery.

Available in 36" and 48" lengths, 10", 24" and 42" heights.

All joints are continuously welded.

Anchors not included.

Painted safety yellow.



Part No	Dimensions	Weight
131751	36"W x 10"H	78 lbs
131753	48"W x 10"H	90 lbs
131761	36"W x 24"H	105 lbs
131763	48"W x 24"H	116 lbs
131771	36"W x 42"H	140 lbs
131773	48"W x 42"H	151 lbs

Technical Data
Tube: 5" x 5" x 3/16"
Base: 10" x 10" 5/8"
Recommended sleeve anchors: 3/4" x 6 1/4"

jescoGARD® Extra Heavy Duty Welded Rail System

jescoGARD® Extra Heavy Duty Welded Rail System
Designed to meet your most severe guarding needs.

All joints are continuously welded for maximum strength.

Welded rail system has open ends but optional end caps are available.

Anchors not included.

Painted safety yellow.

Technical Data
Tube: 4" x 4" x 7 gauge
Base: 10" x 10" 5/8"
Recommended sleeve anchors: 3/4" x 6 1/4"

Part No	Type	Dimensions	Weight
131601	Single	48"W x 15"H	90 lbs
131603	Single	72"W x 15"H	110 lbs
131605	Single	96"W x 15"H	130 lbs
131611	Double	48"W x 29 1/2"H	139 lbs
131613	Double	72"W x 29 1/2"H	209 lbs
131615	Double	96"W x 29 1/2"H	278 lbs
131621	Triple	48"W x 44"H	192 lbs
131623	Triple	72"W x 44"H	288 lbs
131625	Triple	96"W x 44"H	384 lbs
131631	Single, Corner	42"W x 15"H	135 lbs
131633	Double, Corner	42"W x 29 1/2"H	220 lbs
131635	Triple, Corner	42"W x 44"H	305 lbs

TAYLOR MATERIAL HANDLING & CONVEYOR
Phone: 419-867-3580
www.taylormhc.com

jescoGARD® Posts

Posts help protect equipment and personnel. Complete with cap and floor anchors. Painted yellow. Special lengths are available.

Technical Data
Tube: 4" x 4" 1/4"
Base: 10" x 10" 5/8"
Caps and floor anchors included.

Part No	Dimensions	Weight
131210	18"H	36 lbs
131220	42"H	60 lbs



jescoGARD® Heavy Duty Post Protectors

Help protect your storage racks from forklift damage. 5" wide x 4 1/2" deep. Base plate is 1/4" x 6" x 8". All welded construction.

Anchors not included.

Painted safety yellow.

Part No	Dimensions	Weight
131812	12"H	13 lbs
131818	18"H	18 lbs
131824	24"H	23 lbs

jescoGARD® Heavy Duty Lift Out Rail System

Protect your valuable machinery and equipment with this easy to install system.

Lift out rails allow quick access for maintenance and replacement of damaged parts.

Anchors not included.

Painted safety yellow.

Technical Data
Posts: 3" x 3" 1/8" Tube
Base: 8" x 8" 1/4"
Rails: 4" x 2" x 1/8" Tube

Part No	Type	Dimensions	Weight
131721	Inline Post	20"H	16 lbs
131722	Corner Post	20"H	16 lbs
131723	End Post	20"H	14 lbs
131727	Inline Post	42"H	27 lbs
131728	Corner Post	42"H	27 lbs
131729	End Post	42"H	24 lbs

Rails		
Part No	Dimensions	Weight
131704	4'L	18 lbs
131706	6'L	28 lbs
131708	8'L	37 lbs
131710	10'L	47 lbs

jescoGARD® Modular Safety Rails

This modular safety rail system is easy to install on mezzanines, overhead walkways or aisle ways.

Anchors not included.

Painted safety yellow.

Technical Data
Tube: 2" square
Height: 42"
Kick plate: 4" OSHA Standard

Part No	Type	Dimensions	Weight
131901	With kickplate	4'L X 42"H	43 lbs
131905	Without kickplate	4'L x 42"H	33 lbs

Phone: 517-542-2903

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Fax: 517-542-2501

jescoGARD® Economy Rail System

Our Economy Rail System is manufactured from 11 gauge steel with a 2 rib 9/16" corrugated rail and 10 inch square x 1/2" base plates with four 1 inch anchor holes. It is an economical protection system to protect your assets without compromising quality.

The rails are available in standard bolt-on or lift-out rails where access is required. Rails are measured from center to center of the 4 inch square tube posts.

Available in 18" single rail height or 42" double rail height.

Rail mounting hardware and four 3/4" x 6 1/4" masonry anchors included.

Rails and posts are painted safety yellow.



Rails			
Part No	Dimensions	Rail Type	Weight
133003	10'L	Standard	71 lbs
133013	8'L	Standard	57 lbs
133023	6'L	Standard	43 lbs
133043	4'L	Standard	30 lbs
133006	10'L	Lift out	70 lbs
133016	8'L	Lift out	56 lbs
133026	6'L	Lift out	43 lbs
133046	4'L	Lift out	29 lbs

Posts			
Part No	Post	Height	Weight
133103	Single	18"	32 lbs
133123	Double	42"	51 lbs

jesco® AISLE GARD

This system incorporates 3' high panels with 3'6" high posts to provide an inexpensive method of defining aisles and work areas.

Installs easily using hand tools.

Comes complete with interconnecting and anchoring hardware. Posts come with plastic top caps.

Sweep space is 6"

Panels are painted dark gray, posts are yellow.

Panels		
Part No	Dimensions	Weight
390201	10'W	53 lbs
390211	9'W	48 lbs
390221	8'W	44 lbs
390231	7'W	39 lbs
390241	6'W	34 lbs
390251	5'W	30 lbs
390261	4'W	25 lbs
390271	3'W	20 lbs
390281	2'W	15 lbs
390291	1'W	11 lbs

Part No	Type	Dimensions	Weight
392971	Line post	2"	10 lbs
392981	Corner/3-4 way post	2"	10 lbs

jesco® FOLDING SECURITY GATES

Improves security and controls traffic without restricting light or air flow. Folds and swings out of the way. 3/4" steel channel construction.

Double gates have drop pin (cane bolt) at the center to prevent gate movement.

Rolls on casters and can be surface mounted or recessed. Each gate is equipped with a lock system that will accept a standard padlock (not included). Brackets are included.

Painted black.

Non-expanded heights shown. Gates lose 1" in height per foot when opened.



Single Gates		
Part No	Dimensions	Weight
*340100	5'6"W x 5'6"H	45 lbs
*340110	5'6"W x 6'H	50 lbs
*340120	5'6"W x 6'6"H	55 lbs
*340130	5'6"W x 7'H	60 lbs
340150	5'6"W x 8'H	70 lbs
*340160	6'6"W x 5'6"H	55 lbs
*340180	6'6"W x 6'6"H	65 lbs
*340190	6'6"W x 7'H	75 lbs
340210	6'6"W x 8'H	100 lbs
*340220	7'6"W x 5'6"H	75 lbs
*340230	7'6"W x 6'H	80 lbs
*340240	7'6"W x 6'6"H	90 lbs
*340250	7'6"W x 7'H	105 lbs
340270	7'6"W x 8'H	130 lbs

* Can ship by UPS.

Double Gates		
Part No	Dimensions	Weight
*340600	8'W x 6'6"H	90 lbs
340630	8'W x 8'H	120 lbs
*340650	10'W x 6'6"H	100 lbs
*340660	10'W x 7'H	110 lbs
340680	10'W x 8'H	130 lbs
*340700	12'W x 6'6"H	110 lbs
340730	12'W x 8'H	140 lbs
340750	14'W x 6'6"H	160 lbs
340780	14'W x 8'H	190 lbs
340800	16'W x 6'6"H	170 lbs
340830	16'W x 8'H	200 lbs

* Can ship by UPS.

Door Gates		
Part No	Dimensions	Weight
*340400	4'W x 5'1"H	28 lbs
*340440	4'W x 5'11"H	35 lbs
*340460	4'W x 6'4"H	39 lbs
*340470	4'W x 6'7"H	46 lbs
*340490	4'W x 6'11"H	50 lbs

* Can ship by UPS.

Phone: 517-542-2903

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Fax: 517-542-2501

jesco® WIRE BASKETS

Heavy duty parts baskets with square handles, and two mesh sizes, ¼" and ½". All Baskets have hemmed channel edge. Ideal for storing inventory, carrying and cleaning of small parts. Open mesh construction permits quick and easy drainage.

Stackable up to 5 high at 75 lbs. per basket.

Available in all stainless steel, or zinc plated mild steel.

Handle adds 1 3/4" to overall height.

Note: Special sizes available from mild or stainless steel and with special coatings or partitions.

Part No	Material	Dimensions	Mesh Size	Weight
630010	Stainless	16"L x 10"W x 4 1/2"H	1/4"	8 lbs
630020	Stainless	16"L x 10"W x 4 1/2"H	1/2"	8 lbs
630030	Stainless	21"L x 13 1/4"W x 6"H	1/4"	12 lbs
630040	Stainless	21"L x 13 1/4"W x 6"H	1/2"	11 lbs
630050	Stainless	24"L x 13 1/4"W x 6"H	1/2"	13 lbs
630210	Zinc plated	16"L x 10"W x 4 1/2"H	1/4"	8 lbs
630220	Zinc plated	16"L x 10"W x 4 1/2"H	1/2"	8 lbs
630230	Zinc plated	21"L x 13 1/4"W x 6"H	1/4"	12 lbs
630240	Zinc plated	21"L x 13 1/4"W x 6"H	1/2"	11 lbs
630250	Zinc plated	24"L x 13 1/4"W x 6"H	1/2"	13 lbs

jescoTAINER®

Wire containers are made of welded wire mesh, allowing for visibility and maximum air flow around contents.

Stacks up to 4 high on hard, level surfaces. **Transport one at a time only.** Containers can be folded for shipping empty or for storage when not in use. This cuts shipping and storage costs.

Hinged half gate makes loading or unloading easy. **Gates located on side designated as "L" in the table below.**

Units have a 2" x 2" mesh base and 2" x 2" mesh sides.

Painted gray.



Part No	Capacity	Outside Dimensions	Inside Dimensions	Weight
644170	4000 lbs	40"L x 32"W x 34 1/2"H	38"L x 30"W x 28"H	122 lbs
644110	4000 lbs	48"L x 40"W x 30 1/2"H	46"L x 38"W x 24"H	150 lbs
644120	4000 lbs	48"L x 40"W x 36 1/2"H	46"L x 38"W x 30"H	163 lbs
644130	4000 lbs	48"L x 40"W x 42 1/2"H	46"L x 38"W x 36"H	176 lbs



Folded for storage/shipping

E-mail: Jesco@JescoOnline.com

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Website: www.JescoOnline.com

jesco® RIGID WIRE MESH CONTAINERS



Container shown
with optional drop gate.

- 2500 lbs. Capacity - Stackable up to 5 High
- 2" x 2" x .187 Wire Mesh Sides
- Corrugated Steel Bottoms
- 4" Underclearance
- Standard finish is unpainted.

A woman owned Small business

Color options:
Blue, teal, light gray, black, green.
Custom color prices on request.

Part No	Dimensions	Capacity	Bottom Thickness	Weight
540231	35"L x 35"W x 24"H	16.5 cu. ft.	13 gauge	130 lbs
540235	42"L x 35"W x 24"H	19.9 cu. ft.	13 gauge	145 lbs
540241	48"L x 35"W x 24"H	22.7 cu. ft.	13 gauge	160 lbs
540245	42"L x 42"W x 24"H	23.9 cu. ft.	12 gauge	165 lbs
540251	48"L x 42"W x 24"H	27.4 cu. ft.	12 gauge	180 lbs
540256	48"L x 48"W x 24"H	31.3 cu. ft.	12 gauge	195 lbs

jesco® CORRUGATED STEEL CONTAINERS

- 4000 lbs. Capacity - Stackable up to 5 High
- 13 Gauge Corrugated Sides
- Corrugated Steel Bottoms
- 4" Underclearance
- Standard finish is unpainted.

Color options:
Blue, teal, light gray, black, green.
Custom color prices on request.

Other options available: Runners, card holders, crane lugs, roll-over stirrups or fork pockets.

Shown with optional hopper front.
Only available on 24" high models.



Optional drop gate.
Only available on
24" high models.

Part No	Dimensions	Capacity	Bottom Thickness	Weight
540001	30"L x 24"W x 18"H	7.5 cu. ft.	13 gauge	100 lbs
540005	30"L x 30"W x 18"H	9.3 cu. ft.	13 gauge	110 lbs
540011	35"L x 30"W x 18"H	10.9 cu. ft.	13 gauge	120 lbs
540015	42"L x 30"W x 18"H	13.1 cu. ft.	13 gauge	132 lbs
540025	35"L x 35"W x 18"H	12.7 cu. ft.	13 gauge	132 lbs
540031	42"L x 35"W x 18"H	15.3 cu. ft.	13 gauge	152 lbs
540035	48"L x 35"W x 18"H	17.5 cu. ft.	13 gauge	163 lbs
540041	42"L x 42"W x 18"H	18.4 cu. ft.	12 gauge	159 lbs
540045	48"L x 42"W x 18"H	21.0 cu. ft.	12 gauge	184 lbs
540051	48"L x 48"W x 18"H	24.0 cu. ft.	12 gauge	197 lbs
540101	30"L x 24"W x 24"H	10.0 cu. ft.	13 gauge	120 lbs
540105	30"L x 30"W x 24"H	12.5 cu. ft.	13 gauge	133 lbs
540111	35"L x 30"W x 24"H	14.5 cu. ft.	13 gauge	144 lbs
540115	42"L x 30"W x 24"H	17.5 cu. ft.	13 gauge	160 lbs
540125	35"L x 35"W x 24"H	17.0 cu. ft.	13 gauge	156 lbs
540131	42"L x 35"W x 24"H	20.4 cu. ft.	13 gauge	180 lbs
540135	48"L x 35"W x 24"H	23.3 cu. ft.	13 gauge	192 lbs
540141	42"L x 42"W x 24"H	24.5 cu. ft.	12 gauge	190 lbs
540145	48"L x 42"W x 24"H	28.0 cu. ft.	12 gauge	216 lbs
540151	48"L x 48"W x 24"H	32.0 cu. ft.	12 gauge	231 lbs

24" corrugated steel container.

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

jesco® TUBE-BAR-ROD-STOCK TRUCKS

These 8 models are designed and constructed of heavy 3" channel frames to handle loads up to 10,000 lbs. Three cradles are standard. 8"D x 2"W swivel casters and load wheels are phenolic for easy movement. Trucks turn on their own length. Works well for loading and unloading of materials. Units are 28" wide x 29" high. Painted Jesco standard blue. **Balance load equally. Use on flat, hard surfaces only.**

Standard Model

Standard Models

Part No	Dimensions	Capacity	Load Wheels	Weight
110696	60"L x 28"W x 29"H	4000 lbs	10"D x 3"W	222 lbs
110697	96"L x 28"W x 29"H	4000 lbs	10"D x 3"W	272 lbs
110698	96"L x 28"W x 29"H	10000 lbs	12"D x 3"W	283 lbs
110699	120"L x 28"W x 29"H	10000 lbs	12"D x 3"W	316 lbs

Saddle Models

Part No	Dimensions	Capacity	Load Wheels	Weight
110655	60"L x 28"W x 29"H	4000 lbs	10"D x 3"W	260 lbs
110660	96"L x 28"W x 29"H	4000 lbs	10"D x 3"W	309 lbs
110670	96"L x 28"W x 29"H	10000 lbs	12"D x 3"W	321 lbs
110675	120"L x 28"W x 29"H	10000 lbs	12"D x 3"W	359 lbs

Saddle Model

jesco® BUNK TRUCKS

These two rugged, all welded units have been designed for easy mobility. Corner posts are removable for ease of loading and unloading of materials. For drywall, bunks of lumber, panels etc.

HEAVY DUTY
3500 lbs capacity

This model has four 1" x 43" corner posts which are removable. Four 6" phenolic casters (2 rigid, 2 swivel).

Painted Jesco standard blue.

EXTRA HEAVY DUTY
6000 lbs capacity

This model can be transported with a fork lift using the integrated fork pockets. Holds a full bunk with 2" clearance. Corner posts are 2" square removable tubes for easy unloading. Four 6" swivel casters and two 10" load wheels. All wheels are phenolic. Turns on its own length. Painted Jesco standard blue.

Part No	Type	Dimensions	Deck Height	Weight
110486	Heavy duty	54"L x 84"W x 53"H	11"	207 lbs
110485	Extra heavy duty	55"L x 84"W x 55"H	14"	381 lbs

E-mail: Jesco@JescoOnline.com

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Website: www.JescoOnline.com

jesco® BAR ROD TRUCKS

Ideal for transporting and storing any straight items like pipe, tubing, bar stock or rods.

Rolls on four 8" phenolic casters (2 rigid, 2 swivel).

Solid steel deck. All welded construction.

3600 lbs capacity.

Painted Jesco standard blue.

Part No	Dimensions	Weight
111110	48"L x 36"W x 60"H	264 lbs
111130	72"L x 36"W x 60"H	294 lbs

jesco® A-FRAME TRUCKS

Use these trucks to move plywood, drywall or other large panels.

Trucks feature all welded construction, one piece 13 gauge deck with 2" lips formed down for extra strength. Retaining edge is securely welded to deck. Casters are bolted on for easy replacement.

Painted Jesco standard blue.

Always observe all safety rules when using this product. Caution: Do not exceed 48" above deck. Balance load equally on both sides. Secure items to cart when transporting. Use on flat, hard surfaces only.

Heavy Duty

- 1200 lbs Capacity
- 8" Pneumatic casters

Part No	Dimensions	Weight
14217T	36"L x 24"W x 58 1/2"H	124 lbs
14219T	48"L x 24"W x 58 1/2"H	139 lbs
14221T	72"L x 24"W x 58 1/2"H	160 lbs
14224T	60"L x 30"W x 58 1/2"H	170 lbs
14225T	72"L x 30"W x 58 1/2"H	176 lbs
14228T	72"L x 36"W x 58 1/2"H	192 lbs

Extra Heavy Duty

- 2000 lbs Capacity
- 6" x 2" Phenolic casters

Part No	Dimensions	Weight
14217C	36"L x 24"W x 55"H	124 lbs
14219C	48"L x 24"W x 55"H	139 lbs
14221C	72"L x 24"W x 55"H	160 lbs
14224C	60"L x 30"W x 55"H	170 lbs
14225C	72"L x 30"W x 55"H	176 lbs
14228C	72"L x 36"W x 55"H	192 lbs

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

jesco® Drum Dollies

Drum dollies are used to move your drum products with ease. Works great for under trash drums. Makes plant cleanup a snap. Fits standard 30 or 55 gallon drums. 840 lbs capacity.

Welded construction. No assembly required. Equipped with four 3" Polyolefin casters.

Can ship by UPS.

Painted Jesco standard blue.

Part No	Dimensions	Weight
112755	20"D x 6"H (30 gallon)	11 lbs
112760	24 1/2"D x 6"H (55 gallon)	23 lbs

jesco® Angle Frame Dolly

- Angle frame
- 840 lbs capacity

Part No	Dimensions	Weight
144112	24"L x 18"W x 3 7/8"H	20 lbs
144122	30"L x 18"W x 3 7/8"H	21 lbs
144172	36"L x 24"W x 3 7/8"H	26 lbs

jesco® Steel Pan Dolly

- Single piece formed deck
- 840 lbs capacity

Part No	Dimensions	Weight
143312	24"L x 18"W x 3 3/4"H	22 lbs
143322	30"L x 18"W x 3 3/4"H	23 lbs
143372	36"L x 24"W x 3 3/4"H	32 lbs

jesco® Wooden Dolly

Wooden dollies with carpeted ends. Deck height is 5 1/2". Equipped with four 3" hard rubber swivel casters.

Load capacity is 990 lbs.

Can ship by UPS.

Part No	Dimensions	Weight
512271	30"L x 18"W x 5 1/2"H	15 lbs

jesco® STORAGE RACK

Low cost portable storage system for pipe, tube, structurals, extrusions etc. No bolts, fittings or tools required. Easy to setup, stacks securely in minutes. Material removal is fast and easy.

Heavy duty welded construction.

Painted Jesco standard blue.

A woman owned Small business



Part No	Dimensions	Capacity	Weight
130071	22"L x 15"W x 20 1/2"H	5600 lbs	32 lbs
130081	26"L x 16"W x 23 1/2"H	7500 lbs	48 lbs

jesco® PLATFORM TRUCKS

jesco® Platform Truck

Designed to carry your heaviest loads, these trucks feature all welded construction, one piece 13 gauge formed steel deck with 2" lips formed down for extra strength, 11 gauge formed steel caster mount, reinforced pipe handle sockets, removable 2 slated pipe push handle. Casters are bolted on for easy replacement.

Heavy duty models feature 5" x 1¼" polyurethane casters (1000 lbs capacity) while the extra heavy duty (EHD) models feature 6" x 2" moldon rubber casters (2000 lbs capacity) and a reinforced deck.

Deck height for HD models is 8¾" and 10¼" for EHD models.

Painted Jesco standard blue.

Part No	Type	Dimensions	Weight
102775	HD	36"L x 24"W x 8¾"H	60 lbs
102795	HD	48"L x 24"W x 8¾"H	77 lbs
102845	HD	60"L x 30"W x 8¾"H	86 lbs
102855	HD	72"L x 30"W x 8¾"H	115 lbs
10277B	EHD	36"L x 24"W x 10¼"H	85 lbs
10279B	EHD	48"L x 24"W x 10¼"H	102 lbs
10284B	EHD	60"L x 30"W x 10¼"H	121 lbs
10285B	EHD	72"L x 30"W x 10¼"H	140 lbs

jesco® Pneumatic Tired Platform Truck

These trucks are recommended for the greatest possible protection in transporting fragile items. Available with or without non-slip rubber matting.

All welded construction, one piece 13 gauge formed steel deck with 2" lips formed down, 11 gauge formed steel caster mounts, removable 2 slatted handle. 8" pneumatic casters are bolted on for easy replacement.

12¾" deck height.

1200 lbs capacity.

Painted Jesco standard blue.

Part No	Deck Type	Dimensions	Weight
10277T	Plain	36"L x 24"W x 12¾"H	84 lbs
10279T	Plain	48"L x 24"W x 12¾"H	101 lbs
10284T	Plain	60"L x 30"W x 12¾"H	120 lbs
10285T	Plain	72"L x 30"W x 12¾"H	139 lbs
10297T	Non-slip	36"L x 24"W x 12¾"H	89 lbs
10299T	Non-slip	48"L x 24"W x 12¾"H	107 lbs
10304T	Non-slip	60"L x 30"W x 12¾"H	131 lbs
10305T	Non-slip	72"L x 30"W x 12¾"H	153 lbs

Phone: 517-542-2903

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Fax: 517-542-2501

jesco® SHEET & PANEL TRUCKS

Designed and sized for lengths of lumber, plywood, boxes, pipe and other items. Easy rolling and turning.

All welded construction. 6" x 2" phenolic casters that are bolted on for easy replacement.

2000 lbs capacity.

Painted Jesco standard blue.

Part No	Dimensions	Weight
110480	36"L x 24"W x 45 1/4"H	130 lbs

jesco® HIGH END RACK TRUCKS

Large capacity for handling more products. Turns on its own radius. Rolls easily on 8" moldon rubber load wheels.

Frame and deck are all steel with welded construction for long life.

End racks with 3 slats are removable.

2000 lbs capacity.

Deck is painted Jesco standard blue.

Part No	Dimensions	Weight
110230	48"L x 16"W x 64 11/16"H	162 lbs
110240	48"L x 24"W x 64 11/16"H	190 lbs

E-mail: Jesco@JescoOnline.com

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3580 www.taylormhc.com

Website: www.JescoOnline.com

jesco® MACHINE STANDS

Use these stands for mounting tools or as a work bench.

All welded construction, 13 gauge sheet steel decks with 2" lips formed down, $1^1/_2$" x $1^1/_2$" x $^3/_{16}$" angle framework

30" overall height. 22" Shelf spacing. 1000 lbs capacity.

Painted Jesco standard blue.

Part No	Dimensions	Weight
141970	24"L x 36"W x 30"H	77 lbs
141990	24"L x 48"W x 30"H	108 lbs
142040	30"L x 60"W x 30"H	160 lbs

jesco® HEAVY DUTY DIE STORAGE RACK

These units are designed to handle small dies, fixtures or tools near a work station.

All welded construction for extra strength. Corner posts are made of 2" angle and shelves are formed from one piece of 13 gauge sheet metal. The shelves feature rounded top edges.

Load capacity is 1600 lbs per shelf (based on even distribution of weight). All set up and ready to use.

Painted Jesco standard blue.

Note: We build custom sizes.

Part No	Dimensions	Shelves	Weight
175211	36"L x 24"W x 60"H	3 - 26" spacing	124 lbs
175221	48"L x 24"W x 60"H	3 - 26" spacing	150 lbs
175311	36"L x 24"W x 60"H	4 - $16^5/_8$" spacing	153 lbs
175321	48"L x 24"W x 60"H	4 - $16^5/_8$" spacing	188 lbs
175411	36"L x 24"W x 72"H	5 - 15" spacing	188 lbs
175421	48"L x 24"W x 72"H	5 - 15" spacing	232 lbs
175511	36"L x 24"W x 72"H	6 - $11^1/_2$" spacing	218 lbs
175521	48"L x 24"W x 72"H	6 - $11^1/_2$" spacing	234 lbs

Phone: 517-542-2903

TAYLOR MATERIAL HANDLING & CONVEYOR
Phone: 419-867-3560
www.taylormhc.com

Fax: 517-542-2501

jesco® INDUSTRIAL STORAGE LOCKER

All welded Industrial Storage Locker is manufactured with ¾-13 expanded metal, 1 1/4" x 1 1/4" x 1/8" angle frame, 11 gauge formed metal base, double hinge doors with padlock hasp.

Unit as shown with one shelf, also available without shelves and with two shelves.

Take a quick inventory of the locker contents without obstructions to block your view.

Standard color is Dark Gray. Optional colors: Light Gray, OSHA Blue, Black.

NEW!



Part No	Dimensions	Shelves	Weight
383510	24"L x 48"W x 78"H	0	255 lbs
383520	24"L x 48"W x 78"H	1	285 lbs
383530	24"L x 48"W x 78"H	2	325 lbs
383710	30"L x 60"W x 78"H	0	315 lbs
383720	30"L x 60"W x 78"H	1	365 lbs
383730	30"L x 60"W x 78"H	2	420 lbs

jesco® SECURITY PACKAGE TRUCKS

These trucks are designed for secure transportation of expensive items. Rugged all welded construction. Wire mesh provides high visibility and is securely welded to framework. Push handle on swivel caster end. Casters are bolted on for easy replacement. Painted Jesco standard blue.

Technical Data

Shelves: 13 gauge formed steel shelves with 2" lips
Wire Mesh: 2" x 1" x 10 gauge, woven
Frame: 1 1/2" x 1 1/2" x 3/16" angle
Caster mounts: 11 gauge formed channel
Casters: 6" x 2" Phenolic, bolted on
Weight capacity: 2000 lbs

1 Shelf		
Part No	Dimensions	Weight
14119C	48"L x 24"W x 72 3/4"H	258 lbs
14124C	60"L x 30"W x 72 3/4"H	358 lbs
14127C	60"L x 36"W x 72 3/4"H	367 lbs

3 Shelves, 15 1/2" Spacing		
Part No	Dimensions	Weight
14139C	48"L x 24"W x 72 3/4"H	340 lbs
14144C	60"L x 30"W x 72 3/4"H	472 lbs
14147C	60"L x 36"W x 72 3/4"H	525 lbs

E-mail: Jesco@JescoOnline.com

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Website: www.JescoOnline.com

jesco® INSTRUMENT TRUCKS

These trucks are designed to transport fragile or sensitive parts.

Features include 13 gauge formed steel shelves with 2" lips formed down for extra strength (lip up optional on 2 shelf units) . 1 1/2" x 1 1/2" x 3/16" angle framework. 11 gauge formed steel caster mounts.

Push handle on swivel caster end. Non slip black rubber matting is secured to shelves. Furnished with 8" pneumatic casters for a smooth ride. Casters are bolted on for easy replacement.

1200 lbs capacity.

Painted Jesco standard blue.

- 2 Shelves
- Kick back handle
- 39 3/4" High, 31 3/4" deck height.
- 16" Shelf spacing

Part No	Dimensions	Weight
10337T	36"L x 24"W x 39 3/4"H	137 lbs
10339T	48"L x 24"W x 39 3/4"H	157 lbs
10344T	60"L x 30"W x 39 3/4"H	211 lbs
10347T	60"L x 36"W x 39 3/4"H	235 lbs

- 2 Shelves
- 1200 lbs capacity
- 36" High
- 20 1/4" Shelf spacing

Part No	Dimensions	Weight
10317T	36"L x 24"W x 39 3/4"H	137 lbs
10319T	48"L x 24"W x 39 3/4"H	156 lbs
10324T	60"L x 30"W x 39 3/4"H	210 lbs
10327T	60"L x 36"W x 39 3/4"H	233 lbs

- 3 Shelves
- 1200 lbs capacity
- 57 3/4" High
- 20" Shelf spacing

Part No	Dimensions	Weight
10357T	36"L x 24"W x 39 3/4"H	183 lbs
10359T	48"L x 24"W x 39 3/4"H	214 lbs
10364T	60"L x 30"W x 39 3/4"H	292 lbs
10367T	60"L x 36"W x 39 3/4"H	325 lbs

Phone: 517-542-2903

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Fax: 517-542-2501

jesco® PORTABLE WORK BENCHES

The low height and unobstructed top make these units the ideal portable work benches. Units feature all welded construction, 13 gauge formed steel shelves with 2" lips formed down for extra strength. Casters are bolted on for easy replacement. Painted Jesco standard blue.

Heavy Duty

- 5" x 1 1/4" Polyurethane casters
- 30 3/4" Overall height
- 1000 lbs capacity

Part No	Dimensions	Shelves	Weight
101975	36"L x 24"W x 30 3/4"H	2 - 20" spacing	99 lbs
101995	48"L x 24"W x 30 3/4"H	2 - 20" spacing	117 lbs
102045	60"L x 30"W x 30 3/4"H	2 - 20" spacing	160 lbs
102055	72"L x 30"W x 30 3/4"H	2 - 20" spacing	180 lbs
102075	60"L x 36"W x 30 3/4"H	2 - 20" spacing	183 lbs
102085	72"L x 36"W x 30 3/4"H	2 - 20" spacing	211 lbs
102575	36"L x 24"W x 30 3/4"H	3 - 9" spacing	128 lbs
102595	48"L x 24"W x 30 3/4"H	3 - 9" spacing	155 lbs
102645	60"L x 30"W x 30 3/4"H	3 - 9" spacing	217 lbs
102655	72"L x 30"W x 30 3/4"H	3 - 9" spacing	247 lbs
102685	60"L x 36"W x 30 3/4"H	3 - 9" spacing	250 lbs
102695	72"L x 36"W x 30 3/4"H	3 - 9" spacing	287 lbs

Extra Heavy Duty

- 2 Shelves reinforced with 3" x 1/2" channel
- 20" Shelf spacing
- 6" x 2" Phenolic casters
- 2000 lbs capacity

Part No	Dimensions	Weight
10217C	36"L x 24"W x 32 1/4"H	126 lbs
10219C	48"L x 24"W x 32 1/4"H	146 lbs
10224C	60"L x 30"W x 32 1/4"H	192 lbs

Super Heavy Duty

- 2 Shelves reinforced with 3" x 1/2" channel
- 20" Shelf spacing
- 8" x 2" Phenolic casters
- Wheel brakes optional
- 4000 lbs capacity

Part No	Dimensions	Weight
10237L	36"L x 24"W x 34 1/4"H	131 lbs
10239L	48"L x 24"W x 34 1/4"H	151 lbs
10244L	60"L x 30"W x 34 1/4"H	197 lbs

E-mail: Jesco@JescoOnline.com

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Website: www.JescoOnline.com

jesco® SHELF TRUCKS

These multi-purpose trucks can be used for moving parts in your warehouse, stock room or shipping department. Durable all welded construction,

13 gauge sheet steel shelves with 2" lips formed down for extra strength, 1 1/2" x 1 1/2" x 3/16" angle framework, 11 gauge formed steel caster mounts and push handle on swivel caster end. 6" x 2" phenolic casters are bolted on for easy replacement.

2000 lbs capacity.

Painted Jesco standard blue.

Part No	Dimensions	Shelves	Weight
13477C	36"L x 24"W x 48 1/4"H	3 - 17" spacing	159 lbs
13479C	48"L x 24"W x 48 1/4"H	3 - 17" spacing	185 lbs
13484C	60"L x 30"W x 48 1/4"H	3 - 17" spacing	248 lbs
13487C	60"L x 36"W x 48 1/4"H	3 - 17" spacing	281 lbs
13488C	72"L x 36"W x 48 1/4"H	3 - 17" spacing	319 lbs
13497C	36"L x 24"W x 61 1/4"H	4 - 15" spacing	196 lbs
13499C	48"L x 24"W x 61 1/4"H	4 - 15" spacing	231 lbs
13504C	60"L x 30"W x 61 1/4"H	4 - 15" spacing	313 lbs
13507C	60"L x 36"W x 61 1/4"H	4 - 15" spacing	356 lbs
13508C	72"L x 36"W x 61 1/4"H	4 - 15" spacing	397 lbs
13517C	36"L x 24"W x 70 1/4"H	5 - 13" spacing	230 lbs
13519C	48"L x 24"W x 70 1/4"H	5 - 13" spacing	274 lbs
13604C	60"L x 30"W x 70 1/4"H	5 - 13" spacing	375 lbs
13607C	60"L x 36"W x 70 1/4"H	5 - 13" spacing	428 lbs
13608C	72"L x 36"W x 70 1/4"H	5 - 13" spacing	490 lbs
13617C	36"L x 24"W x 70 1/4"H	6 - 10" spacing	259 lbs
13619C	48"L x 24"W x 70 1/4"H	6 - 10" spacing	312 lbs
13624C	60"L x 30"W x 70 1/4"H	6 - 10" spacing	432 lbs
13627C	60"L x 36"W x 70 1/4"H	6 - 10" spacing	494 lbs
13628C	72"L x 36"W x 70 1/4"H	6 - 10" spacing	569 lbs

jesco® SHELF TRUCKS

Heavy Duty

Use for transporting cartons or parts. All welded construction.

13 gauge steel shelves with 2" lips up. 1 1/2" x 1 1/2" x 3/16" angle corners. Push handle on swivel caster end. 5" x 1 1/4" Polyurethane casters are bolted on for easy replacement.

1000 lbs capacity

Painted Jesco standard blue.

Part No	Dimensions	Shelves	Weight
100175	36"L x 24"W x 35 1/4"H	2 - 24" spacing	91 lbs
100195	48"L x 24"W x 35 1/4"H	2 - 24" spacing	109 lbs
100245	60"L x 30"W x 35 1/4"H	2 - 24" spacing	151 lbs
100275	60"L x 36"W x 35 1/4"H	2 - 24" spacing	173 lbs
100285	72"L x 36"W x 35 1/4"H	2 - 24" spacing	198 lbs
100565	36"L x 24"W x 35 1/4"H	3 - 12" spacing	129 lbs
100585	48"L x 24"W x 35 1/4"H	3 - 12" spacing	155 lbs
100635	60"L x 30"W x 35 1/4"H	3 - 12" spacing	216 lbs
100665	60"L x 36"W x 35 1/4"H	3 - 12" spacing	248 lbs
100675	72"L x 36"W x 35 1/4"H	3 - 12" spacing	285 lbs

Extra Heavy Duty

13 gauge reinforced steel shelves with 2" lips up or down. 1 1/2" x 1 1/2" x 3/16" angle corners. Push handle on swivel caster end. 6" x 2" Phenolic casters are bolted on for easy replacement.

2000 lbs capacity

Painted Jesco standard blue.

Part No	Dimensions	Shelves	Weight
10036C	36"L x 24"W x 36 1/4"H	2 - 24" spacing	124 lbs
10038C	48"L x 24"W x 36 1/4"H	2 - 24" spacing	144 lbs
10043C	60"L x 30"W x 36 1/4"H	2 - 24" spacing	200 lbs
10076C	36"L x 24"W x 36 1/4"H	3 - 12" spacing	153 lbs
10078C	48"L x 24"W x 36 1/4"H	3 - 12" spacing	179 lbs
10083C	60"L x 30"W x 36 1/4"H	3 - 12" spacing	265 lbs

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

jesco® LOW PROFILE TRUCKS

These low profile trucks allow easy handling of bulky items.

Trucks feature all welded construction, 13 gauge shelves with 2" lips formed down for extra strength, 1 1/2" x 1 1/2" x 3/16" angle framework. Handle on swivel caster end 8" above deck. 5" x 1 1/4" polyurethane casters are bolted on for easy replacement.

16" shelf spacing.

Painted Jesco standard blue.

Heavy Duty



Kick back handle optional

- Two handle options
- 26 3/4" Deck height
- 5" x 1 1/4" Polyurethane casters
- 1000 lbs Capacity

Part No	Handle Type	Dimensions	Weight
101175	Standard	36"L x 24"W x 34 3/4"H	103 lbs
101195	Standard	48"L x 24"W x 34 3/4"H	120 lbs
101245	Standard	60"L x 30"W x 34 3/4"H	164 lbs
101255	Standard	72"L x 30"W x 34 3/4"H	184 lbs
101275	Standard	60"L x 36"W x 34 3/4"H	188 lbs
101285	Standard	72"L x 36"W x 34 3/4"H	213 lbs
100975	Kick back	36"L x 24"W x 34 3/4"H	103 lbs
100995	Kick back	48"L x 24"W x 34 3/4"H	121 lbs
101055	Kick back	60"L x 30"W x 34 3/4"H	164 lbs
101065	Kick back	72"L x 30"W x 34 3/4"H	185 lbs
101085	Kick back	60"L x 36"W x 34 3/4"H	189 lbs
101095	Kick back	72"L x 36"W x 34 3/4"H	214 lbs

Extra Heavy Duty

- Reinforced shelves
- 28 1/4" Deck height
- 6" x 2" Phenolic casters
- 4000 lbs Capacity

Part No	Dimensions	Weight
10137C	36"L x 24"W x 36 1/4"H	130 lbs
10139C	48"L x 24"W x 36 1/4"H	150 lbs
10144C	60"L x 30"W x 36 1/4"H	197 lbs
10147C	60"L x 36"W x 36 1/4"H	221 lbs
10148C	72"L x 36"W x 36 1/4"H	249 lbs

Super Heavy Duty

- Reinforced shelves
- 30 1/4" Deck height
- 8" x 2" Phenolic casters
- 4000 lbs Capacity

Part No	Dimensions	Weight
10137L	36"L x 24"W x 38 1/4"H	135 lbs
10139L	48"L x 24"W x 38 1/4"H	155 lbs
10144L	60"L x 30"W x 38 1/4"H	202 lbs
10147L	60"L x 36"W x 38 1/4"H	226 lbs
10148L	72"L x 36"W x 38 1/4"H	254 lbs

Phone: 517-542-2903

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Fax: 517-542-2501

Dual Handle Heavy Duty

- Dual kick back handles
- 1000 lbs capacity

Dual kick back handles 8" above deck. 5" x 1 1/4" polyurethane casters are bolted on for easy replacement. Deck height is 26 3/4". 16" shelf spacing. Lip up on shelves optional. Painted Jesco standard blue.

Part No	Dimensions	Weight
101775	36"L x 24"W x 34 3/4"H	110 lbs
101795	48"L x 24"W x 34 3/4"H	127 lbs
101845	60"L x 30"W x 34 3/4"H	172 lbs
101875	60"L x 36"W x 34 3/4"H	197 lbs
101885	72"L x 36"W x 34 3/4"H	222 lbs

TERMS AND CONDITIONS

SHIPPING WEIGHT: When estimating freight and weight for collect shipments, this is designed solely to provide you with an estimate of the amount. The actual amount may vary due to a number of factors. When freight is shipped prepaid, the manufacturer will incorporate the price into the basic bid and will be responsible for the charges. Crating is not included. Please call for pricing. 70 lbs or less will go UPS if size allows. 70 lbs. or more will go via truck. Some products are shipped KD.

Packaging: Crating is required on all wire orders. There will be a crate charge on all wire orders.

Damaged Shipments: We inspect all items prior to shipment. You should also inspect the items before accepting delivery. If damage has occurred, it should be noted on the freight bill and a claim filed with the carrier by the party paying the freight bill. We take special care to insure the safe arrival of your merchandise, our responsibility for damages ceases when the shipment is accepted by the carrier. Refusal of an entire shipment for partial damage will make claim filing and replacement more difficult.

Products are fully insured: However, Jesco shall not be liable under any circumstances for consequential or incidental damage including, but not limited to, labor cost or loss of profits arising in connection with the use of, or inability to use products purchased from Jesco.

Special or large orders: Orders must be in writing. These orders are not cancelable or returnable.

Returned goods: (RGA) must be authorized in advance by the factory. All items must be new and unused. A 20% restocking charge shall apply to all products. Non-Stock, special, large order items or nonconforming goods are not returnable.

Terms: Net 30 days to firms with an acceptable D & B rating. Invoices will be faxed on the day of shipment.

Taxes: Local, state or federal taxes are not included in your cost.

Prices: We reserve the right to make any changes at any time without notice. Steel surcharges may apply to certain products, and will vary depending on current steel market prices. Payment in U.S. funds only.

Engineering changes: We reserve the right to make any changes at any time without notice.

Load Capacity: Load ratings are based on capacity of casters and on the load being evenly placed on unit at all times. Always observe all safety rules when using products. Use on flat, hard surfaces only.

Engineering & Design: These are part of the basic bid. If your order is canceled due to no fault of the manufacturer, and before material is ordered, you will only be charged for engineering and design costs incurred.

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

jesco® CASTERS

PO: Polyolefin

HR: Hard Rubber

SS: Semi Steel

PH: Phenolic

MR: Moldon Rubber

PU: Polyurethane

FP: Pneumatic

GENERAL DUTY CASTERS (250 - 275 lbs. capacity)

Use where economy is desired for light to medium material handling such as dollies, parts bins, portable racks etc.

Wheel	Type	Capacity	Top Plate	Bolt Pattern	Swivel Radius	Height	Swivel Part No	Weight	Rigid Part No	Weight
3"D x 1.25"W	PO	250 lbs	4.1"L x 3.1"W	3.3"L x 2.3"W	2.4"	3.6"	801052	1.50 lbs	---	---
4"D x 1.25"W	HR	275 lbs	4.1"L x 3.1"W	3.3"L x 2.3"W	3.1"	5.0"	802022	3.00 lbs	---	---
5"D x 1.25"W	PU	250 lbs	4.5"L x 4.0"W	3.0"L x 3.0"W	4.0"	6.0"	804062	2.75 lbs	804061	2.25 lbs

HEAVY DUTY CASTERS (500 - 1200 lbs. capacity)

Ideal where more capacity is required. For platform trucks, trash containers, stock trucks, carts etc. Select the caster that best fits your needs.

Wheel	Type	Capacity	Top Plate	Bolt Pattern	Swivel Radius	Height	Swivel Part No	Weight	Rigid Part No	Weight
4"D x 2"W	SS	700 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	3.4"	5.6"	803012	7.75 lbs	803011	6.75 lbs
5"D x 2"W	PH	1000 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	4.1"	6.5"	805042	6.75 lbs	805041	5.75 lbs
5"D x 2"W	MR	500 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	4.2"	6.5"	805082	7.75 lbs	805081	6.75 lbs
6"D x 2"W	SS	1200 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	4.7"	7.5"	806012	9.00 lbs	806011	8.00 lbs
6"D x 2"W	PU	1200 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	4.7"	7.5"	806032	10.50 lbs	806031	9.50 lbs
6"D x 2"W	PH	1200 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	4.7"	7.5"	806042	7.50 lbs	806041	6.50 lbs
6"D x 2"W	MR	500 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	4.7"	7.5"	806082	9.00 lbs	806081	8.00 lbs

HEAVY DUTY (600 - 1500 lbs. capacity)

These casters can be used for portable racks, utility trucks, conveyor operations, box trucks etc.

Wheel	Type	Capacity	Top Plate	Bolt Pattern	Swivel Radius	Height	Swivel Part No	Weight	Rigid Part No	Weight
6"D x 2.5"W	SS	1500 lbs	6.2"L x 4.5"W	5.2"L x 3.3"	4.2"	7.5"	807012	13.25 lbs	807011	12.25 lbs
6"D x 2.5"W	PH	1500 lbs	6.2"L x 4.5"W	5.2"L x 3.3"	4.2"	7.5"	807042	9.75 lbs	807041	8.75 lbs
6"D x 2.5"W	MR	600 lbs	6.2"L x 4.5"W	5.2"L x 3.3"	4.2"	7.5"	807082	12.00 lbs	807081	11.00 lbs
8"D x 2.0"W	SS	1200 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	6.2"	9.5"	808012	13.75 lbs	808011	12.75 lbs
8"D x 2.0"W	PU	1200 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	6.2"	9.5"	808032	12.50 lbs	808031	11.50 lbs
8"D x 2.0"W	PH	1200 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	6.2"	9.5"	808042	8.75 lbs	808041	7.75 lbs
8"D x 2.0"W	MR	600 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	6.2"	9.5"	808082	11.25 lbs	808081	10.25 lbs

HEAVY DUTY (1500 lbs. capacity)

Ideal for platform trucks, drag line operations, utility trucks etc.

Wheel	Type	Capacity	Top Plate	Bolt Pattern	Swivel Radius	Height	Swivel Part No	Weight	Rigid Part No	Weight
8"D x 2.5"W	SS	1500 lbs	6.25"L x 4.5"W	5.2"L x 3.3"	6.2"	9.5"	809012	15.75 lbs	809011	14.75 lbs
8"D x 2.5"W	PH	1500 lbs	6.25"L x 4.5"W	5.2"L x 3.3"	6.2"	9.5"	809042	12.00 lbs	809041	11.00 lbs

FULL PNEUMATIC CASTERS (320 lbs. capacity)

Greatest protection for transporting delicate materials and parts. Roller bearings.

Wheel	Type	Capacity	Top Plate	Bolt Pattern	Swivel Radius	Height	Swivel Part No	Weight	Rigid Part No	Weight
8"D x 2.5"W	FP	320 lbs	4.5"L x 4.0	3.6"L x 2.6" or 3" x 3"	6.2"	11"	810102	9.00 lbs	810101	8.00 lbs

jesco® NESTING CAPS AND TARGETS

Build your own storage racks from tubing or angle iron by using these nesting caps and targets. Saves time and makes stacking easy.

Unpainted. Can ship by UPS. **Note: We handle many other sizes and shapes.**

TARGETS



503721



503741



503771



505031

CAPS



502171



502201



502301



502051



502091



503431



508421

Part Numbers:
GM : CMH-1045
Chrysler : CE1-3
Ford : ZE-101-A

Part No	Type	Dimensions	Weight
503721	Target	4.00"A x 1.43"B x 1.25"C	.69 lbs
503741	Target	5.00"A x 1.60"B x 1.50"C	1.00 lbs
503771	Target	6.00"A x 2.87"B x 1.75"C	1.80 lbs
505031	Target	5.00"A x 1.30"B x 1.90"C	.88 lbs
502171	Cap	1.56"A x 2.40"B x 2.50"C	.43 lbs
502201	Cap	1.56"A x 2.00"B x 2.50"C	.35 lbs
502301	Cap	1.87"A x 2.00"B x 2.87"C	.46 lbs
502051	Cap	1.25"A x 1.90"B x 2.00"C	.28 lbs
502091	Cap	1.56"A x 2.00"B x 2.00"C	.32 lbs
503431	Cap	1.72"A x 1.50"B x 2.60"C	.41 lbs
508421	Cap	1.25"A x 1.75"B x 2.18"C	1.25 lbs

Bumper Post Sleeves/ Bollard Covers

These bollard covers immediately enhance your property's appearance, and at the same time eliminates the need to repaint your bollards. Made of low density polyethylene thermoplastic, these maintenance free durable plastic covers withstand harsh weather conditions without fading, peeling, cracking or rusting. The bright OSHA Yellow color has UV stabilizers for long color life.

Attaches to posts with patented adhesive tape. Simply slip over the post.

1/8" or 1/4" nominal wall thickness depending on size.

Custom lengths with no additional cutting charges.

Optional colors: Red, Blue, Green, Gray, Black, Brown and White.

Part No	Dimensions	Thickness	Weight
131503	4"ID x 52"H	1/4"	8 lbs
131507	4"ID x 60"H	1/8"	4 lbs
131513	6"ID x 52"H	1/4"	10 lbs
131516	6"ID x 60"H	1/8"	5 lbs
131518	6"ID x 65"H	1/4"	13 lbs
131519	6"ID x 84"H	1/4"	14 lbs
131521	8"ID x 52"H	1/4"	12 lbs
131522	8"ID x 60"H	1/4"	16 lbs
131524	10"ID x 69"H	1/4"	20 lbs

E-mail: Jesco@JescoOnline.com

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Website: www.JescoOnline.com

jesco® WORK PLATFORM



STOCKED ITEM

Convert your forklift into a work platform.

Base and 4" side curbs are formed from one piece of heavy gauge sheet for extra strength. Back panel is 1/2-#13 expanded metal mesh. Deck has a slip resistant surface. Hinged gate with pin safety lock built in for extra security. Fork channels are on 25" centers with full length tube openings of 7" x 2 3/4". There are safety pins behind each fork and heavy duty chains welded to back frame of platform which secure around fork carriage.

Also available fitted with casters, back riser, tool tray and light bulb caddy.

1000 lbs capacity.

Platforms are painted safety yellow.

Description	Part No	Dimensions	Weight
Standard work platform	184002	40"L x 40"W x 63"H	203 lbs
Set of four 3" polyolefin casters (installed)	184003	---	6 lbs
High back riser w/mounting hardware	184004	40 1/2"W x 24"H	23 lbs
Light bulb caddy	184005	9 3/4"L x 10 3/4"W x 38"H	26 lbs
Tool tray	184006	6"L x 37 7/8"W x 2"H	11 lbs

Multi-person work platforms

2" square tube construction. Base and 4" side curbs are formed from one piece of heavy gauge sheet for extra strength. Back panel is 1/2-#13 expanded metal mesh. Deck has a slip resistant surface. Hinged gate with pin safety lock built in.

Fork channels are on 29" centers with full length tube openings of 7" x 2 3/4". Safety pins behind each fork and heavy duty chains welded to back frame of platform which secure around fork carriage.

Painted safety yellow.

Part No	Dimensions	Capacity	Weight
184030	72"L x 40"W x 63"H	1200 lbs	550 lbs
184040	96"L x 40"W x 63"H	1500 lbs	600 lbs
184050	120"L x 40"W x 63"H	1800 lbs	800 lbs

Always observe all safety rules of your company,
OSHA, ASME, ANSI and the forklift manufacturer when using these products.

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

TA-50 GEAR LOCKERS

These heavy duty, fully welded gear lockers meet military requirements for individual issued equipment (TA-50) and are available fully assembled or knocked down (KD).

Double door, full length slam bar and two point cane bolt lock with padlockable handle. One fixed 16 gauge shelf, heavy duty galvanized coat rod and three coat hooks. Mesh on all 4 sides.

These units have an industrial finish.

Mesh material options
3/4-9 Expanded metal
3/4-14 Expanded metal
1" Square woven wire mesh, 10 gauge
Welded mesh (1" x 1" or 2" x 2")

Sizes
Standard size: 24" deep x 42" wide x 78" high

Optional sizes: 24" deep x 36" wide x 78" high
24" deep x 42" wide x 96" high
24" deep x 48" wide x 96" high
42" deep x 42" wide x 96" high

Qualifications:
Woman owned
Small business
HUBZone Certified #29882
U.S. Made

A woman owned Small business

E-mail: Jesco@JescoOnline.com

TAYLOR MATERIAL HANDLING & CONVEYOR Phone: 419-867-3560 www.taylormhc.com

Website: www.JescoOnline.com

Jesco Industries, Inc.
PO Box 388
Litchfield, MI 49252-0388

PRESORTED
STANDARD
US POSTAGE PAID
LITCHFIELD, MI
PERMIT NO 8

DO NOT RETURN

Distributed by:

New Products:

Filter Press Hopper, Page 10
Flat Deck Hopper , Page 9
Economy Guard Rail, Page 31
Hydraulic Hoppers, Page 12
Industrial Lockers, Page 41
Low Profile Portable Hoppers, Page 11
Manual Tilt Truck, Low Profile, Page 14
Rotator Boxes, Page 13
Side Pivot Hoppers, Page 11

Redesigned:

Work Platforms, Page 50

TAYLOR
MATERIAL HANDLING & CONVEYOR
Phone: 419-867-3560
www.taylormhc.com