





**SINGER
SAFETY**
COMPANY Since
1950



The National Leader in Industrial Barrier Protection Products

Catalog 534

Glidewall Track & Roller Partition Kit.....	2-3
Glidewall Track & Roller Hardware	4-5
Welding Strips ..	5
Safety Screens ..	6
Welding Blankets / Instant Welding Curtains	7
Fasteners & Accessories.....	7
Roll Goods & Made-to-Order Products ...	8
Bulk Quilted Fiberglass Rolls	9
Acoustic Foams	9
Barrier Panels.....	10
Modular Acoustic Screens.....	10
QFM Panels	11
Barrier / Absorber Composites ...	12
Ceiling Baffles ..	12
Fire Equipment Covers ..	13
Fire & First Aid Blankets	13
Flex-View Vinyl Strip Goods & Hardware ..	14
Flex-View Vinyl Strip Door Kits	15

Glidewall Kits offer low cost, easy assembly, quick entry/exit, plus the ability to expand plant design as requirements change.

Now Available in Standard Size Kits

Kits consist of panel, steel track, chain suspended connector, threaded rod adapter, end stops and 2 wheel nylon roller hooks.

Super-Vision Series



Features a 52" high clear vinyl center section that starts 30" up from the floor. The top section will vary according to your height requirements. Each partition is furnished with two, 2" wide x 1' long Velcro® strips on each side to provide easy access and yet assure a tight seal. A zinc plated chain is installed in the bottom hem. Opaque vinyl panels are available in white, yellow, blue, green, red, gray or black.

Height	Width	Part #
8'	6' straight	14071608
8'	8' straight	14071808
8'	10' straight	14071108
8'	4' curve	14776408
10'	6' straight	14071610
10'	8' straight	14071810
10'	10' straight	14071010
10'	4' curve	14776410
12'	6' straight	14071612
12'	8' straight	14071812
12'	10' straight	14071012
12'	4' curve	14776412

Weld-Vision Series



Similar to Super-Vision with the exception of a see-through center section made of Trans-Vue yellow, orange, blue, green or smoke gray. The 30" high transparent section starts 48" up from the floor. Opaque vinyl panels are available in white, yellow, blue, green, red, gray or black. Hem chain and Velcro® included.

The use of this product is not a substitute for personal eye protection for sustained viewing of welding operations.

Height	Width	Part #
8'	6' straight	14061608
8'	8' straight	14061808
8'	10' straight	14061108
8'	4' curve	14766408
10'	6' straight	14061610
10'	8' straight	14061810
10'	10' straight	14061010
10'	4' curve	14766410
12'	6' straight	14061612
12'	8' straight	14061812
12'	10' straight	14061012
12'	4' curve	14766412

Environmental Series



Constructed with translucent vinyl-coated fabric which allows light through. Vinyl is available in off-white only. Excellent material for thermal isolation of large areas. Velcro® and hem chain are optional.

Height	Width	Part #
8'	6' straight	14101608
8'	8' straight	14101808
8'	10' straight	14101108
8'	4' curve	14716408
10'	6' straight	14101610
10'	8' straight	14101810
10'	10' straight	14101010
10'	4' curve	14716410
12'	6' straight	14101612
12'	8' straight	14101812
12'	10' straight	14101012
12'	4' curve	14716412

Privacy Series



Constructed with solid opaque reinforced vinyl from top to bottom. Vinyls are available in white, yellow, blue, green, red, gray or black. Velcro® and hem chain are optional.

Height	Width	Part #
8'	6' straight	14021608
8'	8' straight	14021808
8'	10' straight	14021108
8'	4' curve	14726408
10'	6' straight	14021610
10'	8' straight	14021810
10'	10' straight	14021010
10'	4' curve	14726410
12'	6' straight	14021612
12'	8' straight	14021812
12'	10' straight	14021012
12'	4' curve	14726412



Ventilator™ Series



Provides ventilation for doorways, docks or enclosures on booths. Block out pesky bugs and birds the safe and friendly way. Works great as a sun screen.

- Available in heights up to 18' tall. Features an open weave vinyl-coated polyester mesh fabric especially for extended outdoor use. A zinc-plated chain is installed in bottom hem. Excellent resistance to ultraviolet light, mildew, stains and weather. Moisture resistant, dries quickly.

- Available as single panels which glide along track. A steel staff in the panel side attached to 2-wheel roller in the track allows for easy operation. Panels secure with full length Velcro® on vertical edges for safe and easy access to outdoor areas.

Panels available in white, blue and black.

Height	Width	Part #
8'	6' straight	14131608
8'	8' straight	14131808
8'	10' straight	14131108
10'	6' straight	14131610
10'	8' straight	14131810
10'	10' straight	14131010
12'	6' straight	14131612
12'	8' straight	14131812
12'	10' straight	14131012


Kits consist of panel with valance, steel track, connectors (advise type), end stops and 2 wheel nylon roller hooks.

- Connectors are available in flush-to-ceiling or wall mount styles.
- Curve available, call for a custom quote.

Custom Systems Available!
Please call for a quote

MEASURING

Choose from the following overhead views of System layouts.




How To Measure A Glidewall Partition System:

1. Select type of system required: Super-Vision, Weld-Vision, Privacy, Ventilator or Environmental Series Partitions.
2. Measure the area to partition or enclose. System layouts can be a straight run, two, three, four-sided or multi-station partition. Factory adds 10% to curtain width for drape.
3. Determine the height and order partition system to exact height required. (Normal tolerance is +/- 1"). Floors are not always even, take measurements from highest point of floor. Factory deducts 2" from curtain height to allow for track and rollers.
4. Select desired hanging or mounting method. Standard mounting is for suspension from chain. Threaded rod, flush-to-ceiling or wall mount available at no additional charge. (Advise type of connector required at time of order.) Free-standing (to 12' high), or double track with connectors mounting methods are available at an additional charge. (See page 4 & 5 for hardware options)
5. Strip doors can be included with systems for an additional charge.

Custom Designed Solutions

Our knowledgeable staff can assist you in solving specific or unusual in-plant, safety and noise problems. We can recommend the right combination among our standard products, or we'll design custom solutions that fit your particular needs.

HOW TO MEASURE




LIFETIME WARRANTY
ON ALL HARDWARE



Components/Mounting Method


Straight Track



Description	Wt.		Part #	Wt.	U/M
4' 14-001604	4#	9'	14-001609	9#	EA
5' 14-001605	5#	10'	14-001610	10#	EA
6' 14-001606	6#	11'	14-001611	11#	EA
7' 14-001607	7#	12'	14-001612	12#	EA
8' 14-001608	8#				


(Up to 8' long pieces of track can ship UPS!)

End Stop




Roller/End Stop	14-000011	.08#	EA
-----------------	-----------	------	----

Rollers




Nylon 2-Wheel Roller Hook (1")	14-000802	0.1#	EA
Steel 2-Wheel B/B Roller Hook (1")	14-000822	0.2#	EA
Steel 4-Wheel B/B Trolley/Hook (1")	14-000831	0.5#	EA

Strip Doors




Rollerhinge Strip Door Trolley	14-001800	1.8#	LF
Strip Door Hanger (Non-Rolling)	14-001850	1.0#	FT
Pipe Hangers (shown top right)	14-002100	2.0#	LF

Standard




Standard 90° Curved Track	14-000720	0.8#	EA
Straight Track Splice/Connector	14-000024	0.8#	EA

Chain Suspended




Chain 90° Curved Track (3 connectors)	14-000726	4.5#	EA
Chain Track Bracket	14-000017SB	0.9#	EA
Chain Track Splice/Connector	14-000017	0.9#	EA
Chain 90° Right Angle Connector	14-000021	1.5#	EA
Chain 3-Way "T" Connector	14-000018	1.8#	EA

Threaded Rod Suspended



Threaded Rod 90° Curved Track (3 connectors)	14-000723	5.0#	EA
Threaded Rod Track Bracket	14-000013	1.1#	EA
Threaded Rod Splice/Connector	14-000014	1.1#	EA
Threaded Rod Adapter	14-000031	0.3#	EA
Threaded Rod 90° Right Angle Connector	14-000032	1.5#	EA
Threaded Rod 3-Way "T" Connector	14-000033	1.8#	EA

Flush To Ceiling




Ceiling 90° Curved Track (3 connectors)	14-000727	4.9#	EA
Ceiling Splice/Connector	14-000016	1.3#	EA
Ceiling 90° Right Angle Connector	14-000019	1.5#	EA
Ceiling 3-Way "T" Connector	14-000020	2.1#	EA

Edge Clamps



Edge Clamp Track Bracket	14-000034	1.3#	EA
Edge Clamp Splice/Connector	14-000022	1.3#	EA


Wall



Wall Bracket (Up)	14-000045	0.7#	EA
End Mount (Up)	14-000015	0.7#	EA
Wall Splice/Connector (Up/Down)	14-000036	1.1#	EA
End Mount (Down)	14-000038	0.7#	EA

Components/Mounting Method

Free Standing



Description	Part #	Wt.	U/M
Floor 90° Curved Track (1 support)	14-000712	4.8#	EA
Floor Splice/Connector	14-000027	1.6#	EA
Floor 90° Right Angle Connector	14-000028	1.8#	EA
Floor 3-Way "T" Connector	14-000029	2.2#	EA
Floor Column 6' H	14-000172	9.6#	EA
Floor Column 7' H	14-000184	11#	EA
Floor Column 8' H	14-000196	12#	EA
Floor Column 9' H	14-000108	14#	EA
Floor Column 10' H	14-000120	16#	EA
Floor Column 12' H	14-000144	19#	EA
Floor Base Plate	14-000026	10#	EA

Welding Strip Protection

Standard Welding Kit Sizes




Photo represents Amber Welding Strips


The use of this product is not a substitute for personal eye protection for sustained viewing of welding operations.

Now available in Amber/Bronze and Aztec Orange (special order).

Assure adequate protection by screening out hazardous U.V. rays. Flame retardant UL94 Vo rated. Complete with universal mounting hardware, face plates and hex nuts.

	W x H	Wt.	Part#	U/M
8" wide x .080 mil thick Welding Strips are mounted with a 50% overlap	3' x 7'	20#	17-230307G	EA
	4' x 7'	27#	17-230407G	EA
	5' x 7'	36#	17-230507G	EA
	6' x 7'	43#	17-230607G	EA
	3' x 8'	28#	17-230308G	EA
	4' x 8'	30#	17-230408G	EA
	5' x 8'	36#	17-230508G	EA
	6' x 8'	43#	17-230608G	EA
	8' x 8'	55#	17-230808G	EA
	W x H	Wt.	Part#	U/M
12" wide x .120 mil thick Welding Strips are mounted with a 67% overlap	8' x 8'	90#	17-330808G	EA
	8' x 9'	99#	17-330809G	EA
	8' x 10'	108#	17-330810G	EA
	10' x 10'	134#	17-331010G	EA
	10' x 12'	155#	17-331012G	EA
	12' x 10'	160#	17-331210G	EA
	12' x 12'	187#	17-331212G	EA
	12' x 14'	214#	17-331214G	EA

Custom Sized Bronze Strip Doors




Price per linear foot of width

(includes universal mounting hardware, face plates and hex nuts)

8" wide Welding Strips 50% overlap	Part #	Height	Wt.	U/M
	17-230106G	6' H	5.70#	LF
	17-230107G	7' H	6.50#	LF
	17-230108G	8' H	7.00#	LF
	17-230109G	9' H	7.75#	LF
	17-230110G	10' H	8.50#	LF
	17-230111G	11' H	9.25#	LF
12" wide Welding Strips 67% overlap				
	17-330108G	8' H	8#	LF
	17-330109G	9' H	10#	LF
	17-330110G	10' H	11#	LF
	17-330111G	11' H	12#	LF
	17-330112G	12' H	13#	LF

Please specify Amber Bronze or Aztec Orange when ordering,

Portable Safety Screens



Screens are shipped complete with 18 gauge tubular steel frame, slip-on envelope style curtain panel, platform legs, two **Add-A-Panel Clips** and assembly instructions. Each screen can be used alone or joined together with **Add-A-Panel Clips** to form multi-panel (2, 3 or 4 sided) enclosures, or straight line barriers. The portable safety screen can be made with almost any of the raw materials from page 8. Screens are also available with grommets on all 4 sides. Custom sizes are available in 4', 5', 6' and 8' increments. Call for a quote.

SC-1 Olive Green Cotton Duck			SC-2 Yellow Vinyl	SC-4 Gray Transparent Vinyl	SC-6 Yellow Vinyl	Wt.	Frame Only
W x H	U/M	Wt.					
5' x 4'	EA	17#	13-011054	13-021054	13-041054	13#	13-001054
6' x 5'	EA	20#	13-011065	13-021065	13-041065	15#	13-001065
6' x 6'	EA	22#	13-011066	13-021066	13-041066	16#	13-001066
8' x 6'	EA	27#	13-011086	13-021086	13-041086	20#	13-001086


Replacement Panels for Safety Screens

Each replacement panel is made to the exact width and height, in envelope (slip-on) style, without cumbersome grommets and ties! Replacement panels are also available with grommets on all 4 sides.

SC-1 Olive Green Cotton Duck			SC-2 Yellow Vinyl	SC-4 Gray Transparent Vinyl	SC-6 Yellow Vinyl
W x H	U/M	Wt.			
5' x 4'	EA	4#	13-010054	13-040054	13-060054
6' x 5'	EA	5#	13-010065	13-040065	13-060065
6' x 6'	EA	6#	13-010066	13-040066	13-060066
8' x 6'	EA	7#	13-010086	13-040086	13-060086

Caster Wheels
12-000031
.5 LBS EA
Add-A-Panel Clips
12-000048R
Pair

Roll-Up Safety Screens



Screens can be rolled-up and easily carried from place to place. Construction features two layers of material reinforced with a 14 gauge galvanized wire mesh. Roll-up screens have a built-in handle and convenient storage strap. Flame resistant.

Cotton Duck material is treated with a permanent, paraffin-based finish which resists water and mildew.

Safety-Striped Vinyl resists fire, water, mildew, oils, alkalis and most acids. Yellow and black striped.

SC-1 Olive Green Cotton Duck			SC-8 Safety-Stripe Vinyl
W x H	U/M	Wt.	
4' x 3'	EA	10#	12-015543
6' x 4'	EA	18#	12-015564
*6' x 5'	EA	24#	12-015565
*9' x 6'	EA	46#	12-015596

Tri-Fold Safety Screen



Enclose Dangerous Work Areas

Highly visible barricades prevent people from entering dangerous work zones. Bright yellow and black stripe or fluorescent orange units are constructed of heavy-duty vinyl material. Resists fire, water, oil, mildew and most acids. Lightweight barricades fold flat for convenient storage. Built-in carrying handles aid portability. No assembly required. Clear pocket for interchangeable signage (signs not included).

W x H	Wt.	Part #	Material	U/M
4.5' x 3'	9#	13-080053	Black/Yellow Striped	EA
6' x 4'	12#	13-080064	Black/Yellow Striped	EA
*7.5' x 5'	14#	13-080085	Black/Yellow Striped	EA
*9' x 6'	17#	13-080096	Black/Yellow Striped	EA
4.5' x 3'	9#	13-090053	Fluorescent Orange	EA
6' x 4'	12#	13-090064	Fluorescent Orange	EA
*7.5' x 5'	14#	13-090085	Fluorescent Orange	EA
*9' x 6'	17#	13-090096	Fluorescent Orange	EA

*Ships oversized via UPS or LTL freight.

Welding Blankets



Three standard-size blankets in two popular materials.

TEMP/TEX 14 TWILL-WEAVE FIBERGLASS for up to 1000° F
Now available in Light Duty; 18oz, and Heavy Duty 24oz.

Size	Wt.	Part #	U/M
6' x 6'	5#	12-140066LD	EA
8' x 6'	7#	12-140086LD	EA
8' x 10'	10#	12-140810LD	EA
6' x 6'	7#	12-140066	EA
8' x 6'	10#	12-140086	EA
8' x 10'	16#	12-140810	EA

TEMP/TEX 19 NEOPRENE-COATED FIBERGLASS for up to 300° F
(popular alternative)

Size	Wt.	Part #	U/M
6' x 6'	7#	12-190066	EA
8' x 6'	10#	12-190086	EA
8' x 10'	16#	12-190810	EA

Trans-vue™ Instant Curtain Rolls



The use of this product is not a substitute for personal eye protection for sustained viewing of welding operations.

Clear or Transparent-Tinted Curtains are grommeted at the factory, 12" O.C., in 25 yard rolls, 64" & 54" wide. Simply cut material to required length with scissors or utility knife. S-hooks sold separately.

Description	Size	Wt.	Part #	U/M
Trans-Vue Gray	25 yds x 64"	45#	15-100425	Per Roll
Trans-Vue Orange	25 yds x 64"	45#	15-100525	Per Roll
Trans-Vue Yellow	25 yds x 64"	45#	15-100625	Per Roll
Trans-Vue Blue	25 yds x 64"	45#	15-1005B25	Per Roll
Trans-Vue Green	25 yds x 64"	45#	15-1006G25	Per Roll
Transparent Clear	25 yds x 54"	45#	15-1007H25	Per Roll

Fasteners & Accessories

Order S-Hooks for hanging partitions or curtains. Grommet Tool Kits are perfect for adding hanging points on any panels. PSA Velcro (peel and stick adhesive) is available for attaching valance to tops of track, or attaching panel ends to posts, columns or walls. Heavy Duty Edge Stapler is used in combination with edge binding and is needed to seal all open ends of QFM (page 9).

Large
(for 2" pipe)
#12-000085



Small
(for 1" pipe)
#12-000082

Description	Size	Wt.	Part #	U/M
S-Hooks - Small	for 1" Pipe	.05#	12-000082	EA
S-Hooks - Jumbo	for 2" Pipe	.09#	12-000085	EA

Grommet Tool Kit	w/24 Grom's	.5#	15-081020	EA
------------------	-------------	-----	-----------	----

Nickel Plated Brass Grommets

#2 Grommets (3/8)	1 (144)	1.0#	15-080020	Gross
#3 Grommets (7/16)	1 (50)	1.0#	15-080030	Pkg.

Velcro®	1" W	—	SC44	LF
Velcro®	2" W	—	SC46	LF
Velcro® PSA	2" W	—	SC46PSA	LF

Heavy Duty Edge Stapler (Plier Type)	15-912005	EA
---	-----------	----

Staples, Box of 2,500	15-912001	BX
-----------------------	-----------	----

3"W QFM Edge Binding 10 LY	15-012003	RL
----------------------------	-----------	----



Roll Goods


Order materials in FULL or CUT rolls for
Do-It-Yourself Projects

Material/Color	Linear Thickness (mils)	Yds per Roll	Wt. per Roll	Full Roll Part Number	Cut Roll Part Number	Roll Width
Cotton Duck						
Olive Green	20	100	170#	15-000160	15-000160A	60"
Laminated Vinyls						
Yellow	14	100	136#	15-000261	15-000261A	61"
White	14	100	136#	15-000261W	15-000261WA	61"
Gray	14	100	136#	15-000261G	15-000261GA	61"
Black	14	100	136#	15-000261BK	15-000261BKA	61"
Green	14	100	136#	15-000361	15-000361A	61"
Blue	14	100	136#	15-000361B	15-000361BA	61"
Red	14	100	136#	15-000361R	15-000361RA	61"
Trans-Vue Vinyls (see-thru tinted PVC)						
Smoke Gray	14	100	146#	15-000464	15-000464A	64"
Orange	14	100	146#	15-000564	15-000564A	64"
Blue	14	100	146#	15-0005B64	15-0005B64A	64"
Yellow	14	100	146#	15-000664	15-000664A	64"
Green	14	100	146#	15-000664G	15-000664GA	64"
Specialty Laminated Vinyls						
Black/Yellow Stripe	17	100	155#	15-000861	15-000861A	61"
Translucent off-white	15	100	150#	15-001072	15-001072A	61"
Vinyl Mesh Blue	33	67	100#	15-001354B	15-001354BA	54"
Vinyl Mesh White	33	67	100#	15-001354W	15-001354WA	54"
Vinyl Mesh Black	33	67	100#	15-001354BLK	15-001354WA	54"
Clear-Vue PVC						
Medium Grade	16	70	100#	15-000754H	15-000754HA	54"
Heavy Grade	20	60	100#	15-002054	15-002054A	54"
Anti-Static	12	100	100#	15-000754AS	15-000754ASA	54"
Temp-Tex (High Temp Fiberglass)						
Woven FG -24oz -Off White	38	50	126#	15-001460	15-001460A	60"
Woven FG - 19oz - Off White	30	50	89#	15-001460L	15-001460LA	60"
Hypalon - Light Green	20	50	100#	15-001560	15-001560A	60"
Aluminized - Beige	32	50	105#	15-001660	15-001660A	58"
Neoprene - Black	35	50	125#	15-001760	15-001760A	60"
Silica - Tan	28	50	55#	15-001836	15-001836A	35"
Neoprene - Gold	47	50	158#	15-001960	15-001960A	60"
Silicone - Gray	15	50	90#	15-320160	15-320160A	60"

Ship Via: UPS or Truck

Roll length can vary by 10%. You will be invoiced for exact length of roll.

Made-To-Order Products



Above materials also available on a **Made-To-Order** basis for Portable Safety Screens, Track & Roller Partitions, Welding Blankets, Covers, Curtains with S-Hooks and Do-It-Yourself Barriers. Blanket and Partitions include hems on four sides, sewn with nylon thread and 3/8" I.D. nickel plated brass grommets. Blankets provided with grommets at corners only. Partitions provided with grommets 12" on center along the top; extra grommeting provided at no charge upon request. Small S-hooks, jumbo S-hooks, velcro, hem chain and other accessories are available (see pg. 7).

CALL FOR A QUOTE

All "Made-To-Order" Blankets, Covers, Cut Yardage and Partitions are non-returnable.

Quilted Fiberglass (QFM) Bulk Rolls



Each roll is 48" wide. SC122 and SC123 are not bound on edges. SC124 and SC125 are bound on long sides only. Full rolls only. (See page 7 for needed accessories.)


Description	Wt./RL	Part Number	Qty.	U/M
SC122, 50' Unbound Sides	50	15-012148	1-3	EA
		Price Break	4-9	EA
		Price Break	10+	EA
SC123, 50' Unbound Sides	50	15-012348	1-3	EA
		Price Break	4-9	EA
		Price Break	10+	EA
SC124, 25' Bound Sides	50	15-012448	1-3	EA
		Price Break	4-9	EA
		Price Break	10+	EA
SC125, 25' Bound Sides	150	15-012548	1-3	EA
		Price Break	4-9	EA
		Price Break	10+	EA

Roll Goods

Perfect for Do-It-Yourself fabrication of panels and pipe wrap for duct work, conveyers and machines.

Description	Part #	Wt.	Roll Length		Width	Thickness	Color
			(YDS)				
Mass-Loaded	SC157	15-015753	6.75#	20	53"	.070	Grey
	SC158	15-015853	10.13#	20	53"	.085	Black
	SC159	15-015953	13.50#	20	53"	.110	Grey
Transparent Clear	SC190	15-019048	6.25#	40	48"	.080	Clear
	SC-191	15-019148	9.0#	20	48"	.120	Clear
	SC192	15-019248	13.50#	20	48"	.160	Clear

Acoustic Foams



Excellent absorber particularly in the mid-to-high frequency noise ranges. Good structural integrity and requires little mechanical support. Easy to cut and fasten to almost any surface with a water-based adhesive (available below). Convoluted foam features smooth round cone-shaped peaks and valleys which redirect sound waves into the foam where the sound is converted to kinetic energy and absorbed. Convoluted foam gives you 4 times more absorptive surface than flat foams. Standard flat and Aluminized flat foams are sold in rolls, convoluted foam is sold in 4 sheets per box.

Description	W x L	NRC	Thickness	Color	Wt.	Part #	U/M
Standard Foam	54" x 10'	0.95	1"	Charcoal	10#	15-016954-10	Roll
Standard Foam	54" x 25'	0.95	1"	Charcoal	25#	15-016954-25	Roll
Standard Foam	54" x 50'	0.95	1"	Charcoal	45#	15-016954-50	Roll
Aluminized Foam	54" x 10'	0.95	1"	Silver	10#	15-017154-10	Roll
Aluminized Foam	54" x 25'	0.95	1"	Silver	25#	15-017154-25	Roll
Convoluted Foam	54" x 27"	0.6	1"	Charcoal	9#	15-016841	4 per Box
Convoluted Foam	54" x 27"	0.7	2"	Charcoal	11#	15-016842	4 per Box
Convoluted Foam	54" x 27"	0.8	3"	Charcoal	13#	15-016843	4 per Box
Sound Stick Adhesive	10.5 oz.	N/A	N/A	N/A	1#	15-015010	Tube

Vibration Damping Compound

Stops vibration induced noise at the source. Brush, spray or trowel on. Water-based compound is an economical way to treat large surface areas for vibration.

Description
Damping
Compound

Size	Color	Wt.	Part #	U/M
5 Gallon	Beige	65#	23-000105	Pail



www.singersafety.com

(800) 621-0089

A Rensel-Chicago Company



NOISE MATERIALS

Standard Modular Panels



Noise Barrier panels are available in standard full widths. Order by the linear foot (of height). 2" wide Velcro® on vertical edges for fastening to adjacent panels. Available in mass-loaded reinforced vinyl or non-reinforced transparent vinyl, in your choice of weights.

(Order by the linear foot of height)

NOTE: Custom made curtain/panel dimensions at a fraction of a foot will be priced to the next foot.


Mass-Loaded Vinyl 54" wide

Part#	Wt.	Thickness	Width	U/M	Color
SC157M	2#	.070	54"	LF	Grey
SC158M	3#	.085	54"	LF	Black
SC159M	4#	.110	54"	LF	Grey

Transparent Vinyl 48" wide

Part#	Wt.	Thickness	Width	U/M	Color
SC190M	2#	.080	48"	LF	Clear
SC191M	3#	.120	48"	LF	Clear
SC192M	4#	.160	48"	LF	Clear
SC195M	2#	.080	48"	LF	Bronze

Made-To-Order Panels



Noise Barrier panels can be custom manufactured to desired height and width.

Available in mass-loaded reinforced vinyl or non-reinforced transparent vinyl, in your choice of weights.

(Order by the square foot)

NOTE: Custom made curtain/panel dimensions at a fraction of a foot will be priced to the next foot.

Transparent Vinyl 48" wide


Part#	Wt.	Thickness	U/M	Color
SC190	.50#	.080	SF	Clear
SC191	.75#	.120	SF	Clear
SC192	1.00#	.160	SF	Clear
SC195	.50#	.080	SF	Bronze

Mass-Loaded Vinyl 54" wide

Part#	Wt.	Thickness	U/M	Color
SC157	.50#	.070	SF	Grey
SC158	.75#	.085	SF	Black
SC159	1.00#	.110	SF	Grey

Modular Acoustic Screens

It's the industrial equivalent
of an office partition!



Composite QFM/Loaded Vinyl SOUND STOPPER curtain suspended from a reliable SINGER SCREEN tubular frame. Adjacent screens Velcro® together. Overall height 8' 4". Each screen covers a 4' width.

Description	QFM	Wt.	Part #	U/M
3/4# Loaded Vinyl	Single Sided	56#	22-310148	EA
	Double Sided	62#	22-310248	EA
1/2# Loaded Vinyl	Single Sided	48#	22-210148	EA
	Double Sided	60#	22-210248	EA
Panels Only				
3/4# Loaded Vinyl	Single Sided	34#	22-310148R	EA
	Double Sided	40#	22-310248R	EA
1/2# Loaded Vinyl	Single Sided	26#	22-210148R	EA
	Double Sided	38#	22-210248R	EA
Frame Only		22#	13-001048	EA

NOTE: "QFM" – Quilted Fiberglass Material

We quilt our own QFM!

Quilted Fiberglass Panels

Manufactured in a standard 48" width. Panels have bound hems, nickel plated brass grommets 12" O.C. along top and double grommets 18" O.C. along side edges for fastening to adjacent panels. Custom panels less than 48" wide are priced at full 48" width. (Velcro® available for an additional charge. Panels available in grey or white).

SC-122

Photo representative of SC-122 through SC125



Single faced material in nominal 1" thickness for wall blankets.

Description	Size	Wt.	Part #	U/M
Standard Sizes	4' H	5#	SC122-4	EA
	6' H	7.5#	SC122-6	EA
	8' H	10#	SC122-8	EA
	10' H	12.5#	SC122-10	EA
Custom Sizes w/ Velcro®		.25#	SC122	SF
		1#	SC122M	LF

SC-123

Double faced material in nominal 1" thickness		SC123-8	EA
Custom Sizes	.25#	SC123	SF
w/ Velcro®	1#	SC123M	LF

SC-124

Double faced material in nominal 2" thickness, for use as an absorber. (SC-124 is SC-122 bound back-to-back)


Description	Size	Wt.	Part #	U/M
Standard Sizes	4' H	8#	SC124-4	EA
	6' H	12#	SC124-6	EA
	8' H	16#	SC124-8	EA
	10' H	20#	SC124-10	EA
Custom Sizes 2" Double Faced w/ Velcro®		.5#	SC124	SF
		2#	SC124M	LF

SC-125

Double faced material in nominal 2" thickness, with 1 lb./sq. ft. barrier septum is our heaviest curtain for use as a combination barrier/absorber (1.5 PSF). (Same as SC-124, plus septum fill)

Description	Size	Wt.	Part #	U/M
Standard Sizes	4' H	24#	SC125-4	EA
	6' H	36#	SC125-6	EA
	8' H	48#	SC125-8	EA
	10' H	60#	SC125-10	EA
Custom Sizes w/ Velcro®		1.5#	SC125	SF
		6#	SC125M	LF

*Silicone caulking available for outdoor use. Contact us for a quote.



Composite Noise Panels



(photos represent small 1' sq sample)

Made-to-Order panels have absorber material provided on one side. Modular panels are semi-flexible, 53" wide, with 2" Velcro® stitched full length on vertical edges and are are priced by the linear foot (of height).

Barrier Weight Per SF	Part #	Barrier Material	Absorber Material	dBA Reduction
0.5#	SC200	Loaded Vinyl	w/ Std. Foam	8-14 dBA
	SC206	SC157	w/ Alum Foam	
	SC210		w/ QFM	
0.75#	SC300	Loaded Vinyl	w/ Std. Foam	12-18 dBA
	SC306	SC158	w/ Alum Foam	
	SC310		w/ QFM	
1.00#	SC400	Loaded Vinyl	w/ Std. Foam	14-20 dBA
	SC406	SC159	w/ Alum Foam	
	SC410		w/ QFM	

Ceiling Baffles

Baffles are hung vertically from the ceiling to absorb and dissipate reflecting noise. Poly Baffles are a high-density fiberglass core sealed in a polyethylene cover. Quilted Fiberglass Baffles are two-inch thick fiberglass quilted with a vinyl-coated fiberglass facing cloth. Available in grey or white. All baffles contain a non-combustible fiberglass core, with a fire retardant cover.

Description

Poly Baffles



Standard Size

W x H	STC	Thickness	Color	Wt.	Part #	U/M
4' x 2'	4-7 dBA	2"	Off-White	20#	25-601020	10/Box
Quantity Breakdowns					101-500	EA
Grommets on all 4 corners					501+	EA

Description

Quilted Fiberglass Baffles



W x H	STC	Thickness	Color	Wt.	Part	#U/M
4' x 2'	8-10 dBA	2"	Gray/White	4.0#	25-401020	EA
Quantity Breakdowns					101-500	EA
Grommets at top 8" in from corners					501+	EA



Absorbers can be hung in parallel rows two feet apart, or in an eggcrate configuration.



Extinguisher, Hose Reels, Racks & Cart Covers

Not Sure That It Will Fit?

Our covers are designed to fit most popular sizes of fire equipment. We waive the restocking charge and small order fee if you order a cover on a trial basis just to see if it fits. With a minimum order of 12 covers we can provide made-to-order sizes for any type of fire equipment. Call, fax or email us at singersafety@singersafety.com a sketch for a prompt quote.

Note: Made-To-Order sizes are non-returnable.



All Fire Equipment Covers are made of vinyl-coated nylon in Fluorescent Orange Color. (Any order of 24+ covers, use discounted prices. Must 24+ of same cover.)

Fire Equipment Type and Size	Size	Wt.	Part #	U/M
Portable Fire Extinguishers				
Large Size With Window	15-30 lb.	.6#	10-090301	EA
Large Size Without Window	15-30 lb.	1#	10-090303	EA
Small Size Without Window	5-10 lb.	.4#	10-090307	EA
Small Size With Window	5-10 lb.	.4#	10-090308	EA
Hose Reels, 3-7" Rim Width				
20" Reel Diameter		1#	10-090020	EA
24" Reel Diameter		1#	10-090024	EA
26" Reel Diameter		1.3#	10-090026	EA
32" Reel Diameter		1.5#	10-090032	EA
36" Reel Diameter		1.5#	10-090036	EA
Swing-Bar Hose Racks				
20-25" H x 16-24" W		1.3#	10-090004	EA
26-32" H x 16-26" W		1.3#	10-090005	EA
Hump-Type Hose Racks				
20-25" H x 20-30" W		1.5#	10-090006	EA
25-40" H x 30-40" W		1.8#	10-090008	EA
Wheeled Extinguishers and Hose Carts				
Dry Chemical Extinguisher	150 lb.	3.5#	10-090350	EA
	350 lb.	6#	10-090351	EA
Carbon Dioxide Extinguisher	50 and 70 lb.	2#	10-090205	EA
Fire Hose Cart	48" Wheels	7.5#	10-090150	EA

Fire And First Aid Blankets





- Blankets are 70% Wool, 30% Synthetic, 62" x 80", with stitched edges.
- Pouches are made of nylon, vinyl-coated on both sides to withstand the elements. Nylon stitched black binding on all edges and seams.
- No fumbling in an emergency; eye catching fluorescent red color.
- Velcro® fasteners open instantly.
- Built-in handle with two nickel plated grommets for mounting pouch on wall.
- Blanket cannot be machine washed.

Description	Size	Wt.	Part #	U/M
Fire Blanket				
Fire Retardant Wool/Synthetic	62" x 80"	2.75#	12-000160	EA
Fire Blanket Pouch				
Fluorescent Red Nylon		.5#	12-000170	EA
Fire Blanket and Pouch				
Wool/Synthetic Blanket and Nylon Pouch		3.25#	12-000199	EA

FLEX-VUE™ VINYL STRIP PRODUCTS

Flex-Vue™ Vinyl Strip Doors & Roll Goods



Strip Width	Strip Type/Color	Part #	Ft. per Roll	Wt. Roll
8"	Standard-Clear	17-080008	300	100#
12"	Standard-Clear	17-120012	200	150#
16"	Standard-Clear	17-160016	100	125#
8"	Ribbed-Clear	17-080308	150	60#
12"	Ribbed-Clear	17-120312	150	120#
16"	Ribbed-Clear	17-160316	100	115#
8"	Welding-Bronze	17-080508	300	100#
8"	Welding-Aztec Orange	17-081008	300	100# Special Order Only
12"	Welding-Bronze	17-120512	200	150#
12"	Welding-Aztec Orange	17-121012	150	115# Special Order Only
8"	USDA-Clear	17-080908	300	100#
12"	USDA-Clear	17-120912	200	150#
8"	USDA-Ribbed Clear	17-083908	150	60#
12"	USDA-Ribbed Clear	17-123912	150	125#
8"	Anti-Static	17-080608	300	100#
12"	Anti-Static	17-120612	150	150#
8"	Safety-Orange	17-080408	300	100#
12"	Safety-Orange	17-120412	200	150#
16"	Safety-Orange	17-160416	150	200#

Order by the Full Roll (uncut), or have us cut replacement strips to size and punch holes for mounting. Hardware sold separately. F.O.B. Chicago, IL (Class 55)

Concave/Convex curvature allows all strips to be interlocked when hung, forming an excellent seal.

8" Wide Strips are recommended for doors up to 8' in height. 50% overlap for interior doors, 100% overlap for exterior doors.

12" Wide Strips are recommended for doors 8-14' in height. 67% overlap for interior applications and forklift traffic. 100% overlap for exterior applications in extreme wind or sound.

16" Wide Strips are recommended for doors 12' and higher with best resistance to wind, sound and temperature differential. 100% overlap for severe sound attenuation.


Ribbed Strips offer less abrasion and scratching to stay clearer longer than standard strips. Ribs increase insulation by providing small air pockets while reducing contact and static cling between strips. Recommended for heavy duty traffic, forklifts, etc. 0 degrees to +150 degrees F.

USDA Freezer Strips are used for lower temperature applications and are USDA approved. -30 degrees to +150 degrees F

Anti-Static Strips are used mainly in areas where static build-up could be harmful. 0 degrees to +150 degrees F

Safety-Orange Strips are used for safety areas, mark door openings, or to enclose hazardous areas. 0 degrees to +150 degrees F

Tolerance +/- 1.00" on cut strips, +/- 10% thickness



Vinyl Strip Order Estimation Guide

Determine square footage of opening. Select desired strip width and choose "Partial" or "Full" overlap. Use multiplier below to determine quantity required.


Width	Partial	Full
8"	X 2	X 3
12"	X 1.5	X 2
16"	X 1	X 1.5

Example: 13' x 8' Door with 8" full overlap
13 x 8 x 3 = 312 linear feet of 8" vinyl strip required.

Flex Mounts (Universal 3-in-1 Mount)



Three mounting options in one piece of hardware! Mount to overhead surface (inside doorway), wall or suspend with threaded rod (not included). Order by the linear foot to the same width as your opening. (Up to 8' can ship UPS.) Other mounts available, call for quote. All hardware is galvanized and **comes with 3 snap caps per foot.**



Size Per Foot	Part #	Wt.	U/M
2'	14-001702	3#	EA
3'	14-001703	4#	EA
8'	14-001708	15#	EA
10'	14-001710	18#	EA
Snap Caps	14-000010	.007#	EA

FLEX-VUE™ STRIP DOOR KITS

Standard Size Strip Door Kits

Clear Standard, Ribbed, USDA and Anti-Static - Includes galvanized universal mount hardware, snap caps and cut and punched strips for door sizes listed. Can easily be trimmed to smaller size during installation. F.O.B. Chicago, IL.

W x H	Overlap	Wt.	Part #
8" W Strips, Clear Standard (.080)			
3' x 7'	50%	26#	16-210307G
3' x 8'	50%	28#	16-210308G
4' x 7'	50%	30#	16-210407G
4' x 8'	50%	32#	16-210408G
5' x 7'	50%	36#	16-210507G
5' x 8'	50%	40#	16-210508G
6' x 7'	50%	43#	16-210607G
6' x 8'	50%	47#	16-210608G

12" W Strips, Clear Standard (.120)			
8' x 8'	67%	90#	16-310808G
8' x 9'	67%	99#	16-310809G
8' x 10'	67%	108#	16-310810G
10' x 10'	67%	134#	16-311010G
10' x 12'	67%	155#	16-311012G
12' x 10'	67%	160#	16-311210G
12' x 12'	67%	187#	16-311212G
12' x 14'	67%	214#	16-311214G
8' x 8'	100%	114#	16-320808G
8' x 9'	100%	126#	16-320809G
8' x 10'	100%	138#	16-320810G
10' x 10'	100%	172#	16-321010G
10' x 12'	100%	202#	16-321012G
12' x 10'	100%	205#	16-321210G
12' x 12'	100%	241#	16-321212G
12' x 14'	100%	277#	16-321214G

16" W Strips, Clear Standard (.160)			
12' x 12'	50%	217#	16-411212G
12' x 14'	50%	249#	16-411214G
14' x 12'	50%	253#	16-411412G
14' x 14'	50%	290#	16-411414G
15' x 12'	50%	269#	16-411512G
15' x 14'	50%	309#	16-411514G
12' x 12'	100%	312#	16-421212G
12' x 14'	100%	360#	16-421214G
14' x 12'	100%	364#	16-421412G
14' x 14'	100%	420#	16-421414G
15' x 12'	100%	398#	16-421512G
15' x 14'	100%	458#	16-421514G

8" W Strips, USDA Freezer (-30°F/+150°F) (.080)			
4' x 7'	50%	30#	16-510407G
4' x 8'	50%	32#	16-510408G
5' x 7'	50%	36#	16-510507G
5' x 8'	50%	40#	16-510508G
6' x 7'	50%	43#	16-510607G
6' x 8'	50%	47#	16-510608G

12" W Strips, USDA Freezer (-30°F/+150°F) (.120)			
8' x 8'	67%	90#	16-610808G
8' x 9'	67%	99#	16-610809G
8' x 10'	67%	108#	16-610810G
10' x 10'	67%	134#	16-611010G
10' x 12'	67%	155#	16-611012G
12' x 10'	67%	160#	16-611210G
12' x 12'	67%	187#	16-611212G

Part #
8" W Strips, Clear Ribbed (.072)
16-250307G
16-250308G
16-250407G
16-250408G
16-250507G
16-250508G
16-250607G
16-250608G

12" W Strips, Clear Ribbed (.110)			
16-350808G			
16-350809G			
16-350810G			
16-351010G			
16-351012G			
16-351210G			
16-351212G			
16-351214G			
16-360808G			
16-360809G			
16-360810G			
16-361010G			
16-361012G			
16-361210G			
16-361212G			
16-361214G			

16" W Strips, Clear Ribbed (.145)			
16-451212G			
16-451214G			
16-451412G			
16-451414G			
16-451512G			
16-451514G			
16-461212G			
16-461214G			
16-461412G			
16-461414G			
16-461512G			
16-461514G			

8" W Strips, Anti-Static (.080)	
16-810407G	
16-810408G	
16-810507G	
16-810508G	
16-810607G	
16-810608G	

12" W Strips, Anti-Static (.120)	
16-910808G	
16-910809G	
16-910810G	
16-911010G	
16-911012G	
16-911210G	
16-911212G	

For Welding Strips, see page 5. Orange Safety Strips available per request (call for quote)
Tolerance: +/- 1.00" on cut strips, +/- 10% thickness.

www.singersafety.com

(800) 621-0089

A Rensel-Chicago Company



FLEX-VUE™ STRIP DOOR KITS



Irregular Shapes?

Not a problem, we can contour our materials to whatever your needs may be.



Custom Designed Solutions

Our knowledgeable staff can assist you in solving specific, or unusual, in-plant safety and noise problems.

We can recommend the right combination among our standard products, or we'll design custom solutions to fit your particular needs.



PAYMENT AND FREIGHT TERMS

Payment terms are NET 30 DAYS to Distributors with open or current accounts. All orders are shipped F.O.B. Chicago.

LIMITED WARRANTY

Singer Safety Company warrants that the goods offered herein conform to the Company's standard specifications and are: (a) new and unused; (b) of merchantable quality; © in material conformance with all specifications, drawings, or descriptions furnished to Singer Safety by the Distributor and accepted by the Distributor. No other warranties, expressed or implied (including the implied warranty of fitness for a particular purpose), shall apply. Singer Safety Company may choose to repair or replace defective or damaged goods.

TRADE AFFILIATIONS:



© Singer Safety Company



**SINGER
SAFETY**
COMPANY Since 1950

A Rensel-Chicago Company

2300 N. Kilbourn Ave.
Chicago, IL 60639

Phone: (800) 621-0089

Fax: (773) 235-0363

www.singersafety.com

singersafety@singersafety.com

534-5/12

